ZM GRUP

MADE IN ZM FLEX TURKEY

Turkey
Discover
the potential

Address:
D-100 Karayolu Üzeri İstilli Köyü Çiçekçi Mevkii Düzce Ticaret Borsası Karşısı
Düzce / Merkez
Phone:
+90 380 536 50 69

ELECTRICAL CONDUIT

Construction Electricity Wiring System

54151C-½&¾

2020

Steel Conduit & Fittings

- EMT Conduit,IMC Conduit,Rigid Steel Conduit
- EMT Connectors and Couplings
- IMC Conduit,Rigid Steel Conduit Fittings Other Fittings for EMT Rigid Conduit Conduit Body,Weatherproof Box
- Steel Boxes and Covers
- Earthing Rods and Meter Socket

Flexible Conduit & Fittings

- Flexible Steel Conduit
- PVC Coated Flexible Conduit Liquid Tight Conduit
- Corrugated Flexible Conduit Liquid Tight & Squeeze Connector Other Connector

Strut Channel & Fittings

- Unistrut Channel
- Thread Rods and Hardware Strut
- Clamp,Conduit Hanger Clevis
- Hanger and Loop Hanger Beam
- Clamp and Other Fittings

Electrical Conduit Tools

- Conduit Bender
- Fish Wire Tape,Cable Puller
- PVC Bending Spring Cable Glands
- Terminal Blocks
- Cable Ties,Insulator

Conduit Locknut

EMT Conduit Pipe Accord to ANSI C80.3, UL797

Dimensions for Standard

Finish: Pre-galvanized

Hot dip galvanized(UL Listed)

c UL us LISTED

Item Code	Trade Size Designator		Nominal Outside Dia.		Nominal Wall Thickness		Two Length	
	U.S.	Metric	in.	mm	in.	mm	mm	mm
ZMDFS11	½"	16	0.706	17.93	0.042	1.07	3000	3050
ZMDFS12	¾"	21	0.922	23.42	0.049	1.24	3000	3050
ZMDFS13	1"	27	1.163	29.54	0.057	1.45	3000	3050
ZMDFS14	1¼"	35	1.510	38.35	0.065	1.65	3000	3050
ZMDFS15	1½"	41	1.740	44.20	0.065	1.65	3000	3050
ZMDFS16	2"	53	2.197	55.80	0.065	1.65	3000	3050
ZMDFS17	2½"	63	2.875	73.03	0.072	1.83	3000	3050
ZMDFS18	3"	78	3.500	88.90	0.072	1.83	3000	3050
ZMDFS19	3½"	91	4.000	101.60	0.083	2.11	3000	3050
ZMDFS20	4"	103	4.500	114.30	0.083	2.11	3000	3050

Dimensions for Thinwall Thickness

Finish: Pre-galvanized

Item Code	Trade Size Designator		Nominal Outside Dia.		Nominal Wall Thickness		Two Length	
	U.S.	Metric	in.	mm	in.	mm	mm	mm
ZMDTT5	½"	16	0.706	17.93	0.031	0.80	3000	3050
ZMDTT6	¾"	21	0.922	23.42	0.035	0.90	3000	3050
ZMDTT7	1"	27	1.163	29.54	0.039	1.00	3000	3050
ZMDTT8	1¼"	35	1.510	38.35	0.051	1.30	3000	3050
ZMDTT9	1½"	41	1.740	44.20	0.051	1.30	3000	3050
ZMDTT10	2"	53	2.197	55.80	0.055	1.40	3000	3050

Note: All information available at the time of order
If you need other thickness or length pls contact us.

Finish: Pre-galvanized
Hot dip galvanized(UL Listed)

c UL us LISTED

Item Code 90°	Item Code 45°	Size
ZM8300	ZM8310	½"
ZM8301	ZM8311	¾"
ZM8302	ZM8312	1"
ZM8303	ZM8313	1¼"
ZM8304	ZM8314	1½"
ZM8305	ZM8315	2"
ZM8306	ZM8316	2½"
ZM8307	ZM8317	3"
ZM8308	ZM8318	3½"
ZM8309	ZM8319	4"

IMC Conduit Pipe

Accord to ANSI C80.6,UL1242

Dimensions for Standard

Finish:Hot dip galvanized

Item Code	Trade Size Designator		Nominal Outside Dia.		Nominal Wall Thickness		Length	
	U.S.	Metric	in.	mm	in.	mm	ft.	mm
ZCP 81	½"	16	0.815	20.70	0.078	1.98	10	3000
ZCP 82	¾"	21	1.029	26.10	0.083	2.10	10	3000
ZCP 83	1"	27	1.290	32.77	0.093	2.35	10	3000
ZCP84	1¼"	35	1.638	41.59	0.095	2.42	10	3000
ZCP 85	1½"	41	1.883	47.82	0.100	2.54	10	3000
ZCP 86	2"	53	2.360	59.93	0.105	2.67	10	3000
ZCP 87	2½"	63	2.857	72.57	0.150	3.81	10	3000
ZCP 88	3"	78	3.476	88.29	0.150	3.81	10	3000
ZCP 89	3½"	91	3.971	100.86	0.150	3.81	10	3000
ZCP 90	4"	103	4.466	113.44	0.150	3.81	10	3000

Dimensions for Thinwall Thickness

Finish: Pre-galvanized

Item Code	Trade Size Designator		Nominal Outside Dia.		Thinner Wall Thickness		Two Length	
	U.S.	Metric	in.	mm	mm	mm	mm	mm
ZM DTT 11	½"	16	0.815	20.70	1.79	1.45	3000	3050
ZM DTT 12	¾"	21	1.029	26.10	1.90	1.45	3000	3050
ZM DTT13	1"	27	1.290	32.77	2.15	1.80	3000	3050
ZM DTT 14	1¼"	35	1.638	41.59	2.16	2.00	3000	3050
ZM DTT 15	1½"	41	1.883	47.82	2.29	2.00	3000	3050
ZM DTT 16	2"	53	2.360	59.93	2.41	2.00	3000	3050

Note: All information available at the time of order
If you need other thickness or length pls contact us.

IMC Elbows

Finish: Pre-galvanized

Hot dip galvanized(UL Listed)

Item Code 90°	Size
ZM8171	½"
ZM8172	¾"
ZM8173	1"
ZM8174	1¼"
ZM8175	1½"
ZM8176	2"
ZM8177	2½"
ZM8178	3"
ZM8179	3½"
ZM8180	4"

IMC Coupling

Finish: Electro-galvanized
Hot dip galvanized

Item Code	Size
ZM--050	½"
ZM--075	¾"
ZM--100	1"
ZM--125	1¼"
ZM--150	1½"
ZM--200	2"
ZM--250	2½"
ZM--300	3"
ZM--350	3½"
ZM--400	4"

Rigid Steel Conduit

Accord to ANSI C80.1, UL6

Dimensions for Standard

Finish: Hot dip galvanized

Item Code	Trade Size Designator		Nominal Outside Dia.		Nominal Wall Thickness		Length	
	U.S.	Metric	in.	mm	in.	mm	ft.	mm
ZMRSC 41	½"	16	0.840	21.34	0.104	2.64	10	3000
ZMRSC 42	¾"	21	1.050	26.67	0.107	2.72	10	3000
ZMRSC 43	1"	27	1.315	33.40	0.126	3.20	10	3000
ZMRSC 44	1¼"	35	1.660	42.16	0.133	3.38	10	3000
ZMRSC 45	1½"	41	1.900	48.26	0.138	3.51	10	3000
ZMRSC 46	2"	53	2.375	60.33	0.146	3.71	10	3000
ZMRSC 47	2½"	63	2.875	73.03	0.193	4.90	10	3000
ZMRSC 48	3"	78	3.500	88.90	0.205	5.21	10	3000
ZMRSC 49	3½"	91	4.000	101.60	0.215	5.46	10	3000
ZMRSC 50	4"	103	4.500	114.30	0.225	5.72	10	3000
ZMRSC 51	5"	129	5.563	141.30	0.245	6.22	10	3000
ZMRSC 52	6"	155	6.625	168.30	0.266	6.76	10	3000

Rigid Conduit Coupling

Finish:Electro-galvanized
Hot dip galvanized

Item Code	Size
ZM0103	½"
ZM0104	¾"
ZM0105	1"
ZM0106	1¼"
ZM0107	1½"
ZM0108	2"
ZM0109	2½"
ZM0110	3"
ZM0111	3½"
ZM0112	4"
ZM0113	5"
ZM0114	6"

Rigid Conduit Elbows

Finish: Hot dip galvanized

Item Code 90°	Item Code 45°	Size
ZM8182	ZM8194	½"
ZM8183	ZM8195	¾"
ZM8184	ZM8196	1"
ZM8185	ZM8197	1¼"
ZM8186	ZM8198	1½"
ZM8187	ZM8199	2"
ZM8188	ZM8100	2½"
ZM8189	ZM8101	3"
ZM8190	ZM8102	3½"
ZM8191	ZM8103	4"
ZM8192	ZM8104	5"
ZM8193	ZM8105	6"

EMT Conduit Fittings

EMT Set Screw Connectors-Zinc

- Use to Terminate EMT Pipe to Box

Item Code	Cat.No.	Conduit Size
Non-Insulated	Insulated	
ZMSSCN-050	SSCN-050I	½"
ZMSSCN-075	SSCN-075I	¾"
ZMSSCN-100	SSCN-100I	1 "
ZMSSCN-125	SSCN-125I	1¼"
ZMSSCN-150	SSCN-150I	1½"
ZMSSCN-200	SSCN-200I	2"
ZMSSCN-250	SSCN-250I	2½"
ZMSSCN-300	SSCN-300I	3"
ZMSSCN-400	SSCN-400I	4"

EMT Set Screw Couplings-Zinc

- Use to Couple two ends of EMT Pipe

Item Code	Conduit Size
ZMSSCP-050	½"
ZMSSCP-075	¾"
ZMSSCP-100	1"
ZMSSCP-125	1¼"
ZMSSCP-150	1½"
ZMSSCP-200	2"
ZMSSCP-250	2½"
ZMSSCP-300	3"
ZMSSCP-400	4"

EMT Compression Connectors-Zinc

- Use to Terminate EMT Pipe to Box

Item Code	Cat.No.	Conduit Size
Non-Insulated	Insulated	
ZMCCN-050	CCN-050I	½"
ZMCCN-075	CCN-075I	¾"
ZMCCN-100	CCN-100I	1 "
ZMCCN-125	CCN-125I	1¼"
ZMCCN-150	CCN-150I	1½"
ZMCCN-200	CCN-200I	2 "

EMT Compression Couplings-Zinc

- Use to Couple two ends of EMT Pipe

Item Code	Conduit Size
ZMCCP-050	½ "
ZMCCP-075	¾ "
ZMCCP-100	1 "
ZMCCP-125	1¼"
ZMCCP-150	1½ "
ZMCCP-200	2 "

EMT Set Screw Connectors-Aluminum

- Use to Terminate EMT Pipe to Box

Item Code	Cat.No.	Conduit Size
Non-Insulated	Insulated	
ZMSSCN-050A	SSCN-050AI	½"
ZMSSCN-075A	SSCN-075AI	¾"
ZMSSCN-100A	SSCN-100AI	1 "
ZMSSCN-125A	SSCN-125AI	1¼"
ZMSSCN-150A	SSCN-150AI	1½"
ZMSSCN-200A	SSCN-200AI	2 "

EMT Set Screw Couplings-Aluminum

- Use to Couple two ends of EMT Pipe

Item Code	Conduit Size
ZMSSCP-050A	½ "
ZMSSCP-075A	¾ "
ZMSSCP-100A	1 "
ZMSSCP-125A	1¼ "
ZMSSCP-150A	1½ "
ZMSSCP-200A	2 "

EMT Conduit Fittings

EMT Set Screw Connectors-Steel

- Use to Terminate EMT Pipe to Box

Item Code	Cat.No.	Conduit Size
Non-Insulated	Insulated	
ZH-50S	H-50SI	½"
ZH-75S	H-75SI	¾"
ZH-100S	H-100SI	1"
ZH-125S	H-125SI	1¼"
ZH-150S	H-150SI	1½"
ZH-200S	H-200SI	2"
ZH-250S	H-250SI	2½"
ZH-300S	H-300SI	3"
ZH-350S	H-350SI	3½"
ZH-400S	H-400SI	4"

EMT Set Screw Couplings-Steel

- Use to Couple two ends of EMT Pipe

Item Code	Conduit Size
ZM-50S	½"
ZM-75S	¾"
ZM-100S	1"
ZM-125S	1¼"
ZM-150S	1½"
ZM-200S	2"
ZM-250S	2½"
ZM-300S	3"
ZM-350S	3½"
ZM-400S	4"

EMT Compression Couplings-Steel

- Use to Terminate EMT Pipe to Box

Item Code	Cat.No.	Conduit Size
Non-Insulated	Insulated	
MZC-50S	MZC-50SI	½"
MZC-75S	MZC-75SI	¾"
MZC-100S	MZC-100SI	1"
MZC-125S	MZC-125SI	1¼"
MZC-150S	MZC-150SI	1½"
MZC-200S	MZC-200SI	2"
MZC-250S	MZC-250SI	2½"
MZC-300S	MZC-300SI	3"
MZC-350S	MZC-350SI	3½"
MZC-400S	MZC-400SI	4"

EMT Compression Couplings-Steel

- Use to Couple two ends of EMT Pipe

Item Code	Conduit Size
MZCC-50S	½"
MZCC-75S	¾"
MZCC-100S	1"
MZCC-125S	1¼"
MZCC-150S	1½"
MZCC-200S	2"
MZCC-250S	2½"
MZCC-300S	3"
MZCC-350S	3½"
MZCC-400S	4"

EMT Capped Corner Couplings-Zinc

- EMT Pipe to EMT Pipe

Item Code	Conduit Size
CCC-050	½"
CCC-075	¾"

EMT Connector Set Screw Type 90°-Zinc

- EMT Pipe to Box when 90 degree turns

Item Code	Conduit Size
ZECSS-075	¾"
ZECSS-100	1"
ZECSS-125	1¼"

Steel Conduit Fittings

Watertight Hubs

- With insulated throat

Malleable

Item Code Zinc	Cat.No. Malleable	Conduit Size
ZH-050	ZH-050M	½"
ZH-075	ZH-075M	¾"
ZH-100	ZH-100M	1"
ZH-125	ZH-125M	1¼"
ZH-150	ZH-150M	1½"
ZH-200	ZH-200M	2"
ZH-250	ZH-250M	2½"
ZH-300	ZH-300M	3"
ZH-400	ZH-400M	4"
-	ZH-500M	5"
-	ZH-600M	6"

- EMT Pipe to EMT Pipe

Item Code	Conduit Size
ZETE-050	½"
ZETE-075	¾"
ZETE-100	1"

Pull Corner Elbows-Zinc

- EMT Pipe to Box

Item Code	Conduit Size
ZETB-050	½"
ZETB-075	¾"
ZETB-100	1"

Pull Corner Elbows-Zinc

- Rigid Conduit to Rigid Conduit

Item Code	Conduit Size
ZRTR-050	½"
ZRTR-075	¾"
ZRTR-100	1"

Pull Corner Elbows-Zinc

- Rigid Conduit to Box

Item Code	Conduit Size
ZRTB-050	½"
ZRTB-075	¾"
ZRTB-100	1"

Reducing Bushings

- Steel

Item Code	Conduit Size
ZRB-075050	¾" x ½"
ZRB-100050	1" x ½"
ZRB-100075	1" x ¾"
ZRB-125050	1¼" x ½"
ZRB-125075	1¼" x ¾"
ZRB-125100	1¼" x 1"
ZRB-150050	1½" x ½"
ZRB-150075	1½" x ¾"
ZRB-150100	1½" x 1"
ZRB-150125	1½" x 1¼"
ZRB-200050	2" x ½"
ZRB-200075	2" x ¾"
ZRB-200100	2" x 1"
ZRB-200125	2" x 1¼"
ZRB-200150	2" x 1½"

- Adapt an outlet hole to next large size

Item Code	Conduit Size
ZRME-5075	½" M x ¾" F
ZRME-75100	¾" M x 1" F

Rigid Male Enlarger-Steel

- Adapt an outlet hole to next large size

Item Code	Conduit Size
ZME-050075	½" M x ¾" F
ZME-050100	½" M x 1" F
ZME-075100	¾" M x 1" F
ZME-100125	1" M x1-¼" F

EMT Combination Couplings-Zinc

- EMT Pipe to Flex

Item Code	Conduit Size
ZESC-050	½"
ZESC-075	¾"
ZESC-100	1"

EMT Offset Connectors-Zinc

- EMT Pipe to Box

Item Code	Conduit Size
ZOFC-050	½"
ZOFC-075	¾"
ZOFC-100	1"

Rigid Conduit Fittings

Rigid Set Screw Connectors-Steel

- Use to Terminate IMC/Rigid Pipe to Box

Item Code	Conduit Size
ZSSCN-050R	½"
ZSSCN-075R	¾"
ZSSCN-100R	1 "
ZSSCN-125R	1¼"
ZSSCN-150R	1½"
ZSSCN-200R	2 "

Rigid Set Screw Couplings-Steel

- Use to Couple two ends of IMC/Rigid Pipe

Item Code	Conduit Size
MSSCP-050R	½"
MSSCP-075R	¾"
MSSCP-100R	1 "
MSSCP-125R	1¼"
MSSCP-150R	1½"
MSSCP-200R	2 "

Rigid Compression Connectors-Steel

- Use to Terminate IMC/Rigid Pipe to Box

c UL us LISTED

Item Code	Conduit Size
ZY-RT50	½"
ZY-RT75	¾"
ZY-RT100	1"
ZY-RT125	1¼"
ZY-RT150	1½"
ZY-RT200	2"

Rigid Compression Couplings-Steel

- Use to Couple two ends of IMC/Rigid Pipe

c UL us LISTED

Item Code	Conduit Size
ZY-RTC50	½"
ZY-RTC75	¾"
ZY-RTC100	1"
ZY-RTC125	1¼"
ZY-RTC150	1½"
ZY-RTC200	2"

3-piece Union-Malleable Iron / Steel

- Zinc plated

c UL us LISTED

Item Code	Conduit Size
ZMTPU-050	½"
ZMTPU-075	¾"
ZMTPU-100	1"
ZMTPU-125	1¼"
ZMTPU-150	1½"
ZMTPU-200	2"
ZMTPU-250	2½"
ZMTPU-300	3"
ZMTPU-350	3½"
ZMZMTPU-400	4"
ZMTPU-500	5"
ZMTPU-600	6"

Plastic Bushing-

- Nylon

Item Code	Conduit Size
ZMIPB-050	½"
ZMIPB-075	¾"
ZMIPB-100	1"
ZMIPB-125	1¼"
ZMIPB-150	1½"
ZMIPB-200	2"
ZMIPB-250	2½"
ZMIPB-300	3"
ZMIPB-350	3½"
ZMIPB-400	4"

Steel Conduit Fittings

Steel Locknuts

c UL us LISTED

Item Code	Conduit Size
ZLN-050	½"
ZLN-075	¾"
ZLN-100	1 "
ZLN-125	1¼"
ZLN-150	1½"
ZLN-200	2 "
ZLN-250	2½"
ZLN-300	3 "
ZLN-350	3½ "
ZLN-400	4 "
ZLN-500	5 "
ZLN-600	6 "

Zinc Locknuts

Item Code	Conduit Size
ZMLN-050	½ "
ZMLN-075	¾ "
ZMLN-100	1 "
ZMLN-125	1¼ "
ZMLN-150	1½ "
ZMLN-200	2 "
ZMLN-250	2½ "
ZMLN-300	3 "
ZMLN-350	3½ "
ZMLN-400	4 "

Conduit Bushing-Die Cast Zinc

c UL us LISTED

Item Code	Item Code	Conduit Size
Non-Insulated	Insulated	
ZMCB-050	CB-050I	½"
ZMCB-075	CB-075I	¾"
ZMCB-100	CB-100I	1"
ZMCB-125	CB-125I	1¼"
ZMCB-150	CB-150I	1½"
ZMCB-200	CB-200I	2"
ZMCB-250	CB-250I	2½"
ZMCB-300	CB-300I	3"
ZMCB-400	CB-400I	4"

Grounding Bushing-Die Cast Zinc

c UL us LISTED

Item Code	Conduit Size
Insulated	
ZMCB-050G	½ "
ZMCB-075G	¾ "
ZMCB-100G	1 "
ZMCB-125G	1¼ "
ZMCB-150G	1½ "
ZMCB-200G	2 "
ZMCB-250G	2½"
ZMCB-300G	3 "
ZMCB-400G	4 "

Conduit Bushing-Malleable Iron

Item Code	Cat.No.	Conduit Size
Non-Insulated	Insulated	
ZMCB-050M	ZMCB-050MI	½"
ZMCB-075M	ZMCB-075MI	¾"
ZMCB-100M	ZMCB-100MI	1"
ZMCB-125M	ZMCB-125MI	1¼"
ZMCB-150M	ZMCB-150MI	1½"
ZMCB-200M	ZMCB-200MI	2"
ZMCB-250M	ZMCB-250MI	2½"
ZMCB-300M	ZMCB-300MI	3"
ZMCB-350M	ZMCB-350MI	3½"
ZMCB-400M	ZMCB-400MI	4"
ZMCB-500M	ZMCB-500MI	5"
ZMCB-600M	ZMCB-600MI	6"

Grounding Bushing-Malleable Iron

c UL us LISTED

Item Code	Conduit Size
Insulated	
ZMCB-050MG	½"
ZMCB-075MG	¾"
ZMCB-100MG	1"
ZMCB-125MG	1¼"
ZMCB-150MG	1½"
ZMCB-200MG	2"
ZMCB-250MG	2½"
ZMCB-300MG	3"
ZMCB-350MG	3½"
ZMCB-400MG	4"
ZMCB-500MG	5"
ZMCB-600MG	6"

Steel Conduit Fittings

EMT One Hole Strap

- Electro-galvanized

Item Code	Conduit Size
ZOSP-050	½"
ZOSP-075	¾"
ZOSP-100	1"
ZOSP-125	1¼"
ZOSP-150Z	1½"
ZOSP-200	2"

c UL us LISTED

EMT Two Hole Strap

- Electro-galvanized

Item Code	Conduit Size
ZTSP-050	½"
ZTSP-075	¾"
ZTSP-100	1"
ZTSP-125	1¼"
ZTSP-150	1½"
ZTSP-200	2"

c UL us LISTED

Rigid One Hole Strap

- Electro-galvanized

Item Code	Conduit Size
ZMOSP-050R	½"
ZMOSP-075R	¾"
ZMOSP-100R	1"
ZMOSP-125R	1¼"
ZMOSP-150R	1½"
ZMOSP-200R	2"
ZMOSP-250R	2½"
ZMOSP-300R	3"
ZMOSP-350R	3½"
ZMOSP-400R	4"

c UL us LISTED

Rigid Two Hole Strap

- Electro-galvanized

Item Code	Conduit Size
ZMTSP-050R	½"
ZMTSP-075R	¾"
ZMTSP-100R	1"
ZMTSP-125R	1¼"
ZMTSP-150R	1½"
ZMTSP-200R	2"
ZMTSP-250R	2½"
ZMTSP-300R	3"
ZMTSP-350R	3½"
ZMTSP-400R	4"

c UL us LISTED

Strut Clamps

- Electro-galvanized
- Hot dip galvanized
- SS304 / SS316

c UL us LISTED

Item Code Rigid	Item Code EMT	Conduit Size
ZMSC-050	ZSC-050E	½"
ZMSC-075	ZSC-075E	¾"
ZMSC-100	ZSC-100E	1"
ZMSC-125	ZSC-125E	1¼"
ZMSC-150	ZSC-150E	1½"
ZMSC-200	ZSC-200E	2"
ZMSC-250	-	2½"
ZMSC-300	-	3"
ZMSC-350	-	3½"
ZMSC-400	-	4"
ZMSC-500	-	5"
ZMSC-600	-	6"
ZMSC-800	-	8"

Conduit Hanger With Bolt and Nut

- Electro-galvanized

c UL us LISTED

Item Code	Conduit Size
ZMCH-050	½"
ZMCH-075	¾"
ZMCH-100	1"
ZMCH-125M	1¼"
ZMCH-150	1½"
ZMCH-200	2"
ZMCH-250	2½"
ZMCH-300	3"
ZMCH-350	3½"
ZMCH-400	4"

Rigid Conduits Fittings

- Electro-galvanized

Item Code	Pipe Size	Length
ZM8380	½"	Close
ZM8380112	½"	1½"
ZM83802	½"	2"
ZM8380212	½"	2½"
ZM83803	½"	3"
ZM8380312	½"	3½"
ZM83804	½"	4"
ZM83805	½"	5"
ZM83806	½"	6"
ZM83808	½"	8"
ZM838010	½"	10"
ZM838012	½"	12"
ZM8381	¾"	Close
ZM83812	¾"	2"
ZM8381212	¾"	2½"
ZM83813	¾"	3"
ZM8381312	¾"	3½"
ZM83814	¾"	4"
ZM83815	¾"	5"
ZM83816	¾"	6"
ZM83818	¾"	8"
ZM838110	¾"	10"
ZM838112	¾"	12"
ZM8382	1"	Close
ZM83822	1"	2"
ZM8382212	1"	2½"
ZM83823	1"	3"
ZM83823	1"	3½"
ZM83824	1"	4"
ZM83825	1"	5"
ZM83826	1"	6"
ZM83828	1"	8"
ZM838210	1"	10"
ZM838212	1"	12"
ZM8383	1¼"	Close
ZM83832	1¼"	2"
ZM8383212	1¼"	2½"
ZM83833	1¼"	3"
ZM8383312	1¼"	3½"
ZM83834	1¼"	4"
ZM83835	1¼"	5"
ZM83836	1¼"	6"
ZM83838	1¼"	8"
ZM838310	1¼"	10"
ZM838312	1¼"	12"

Item Code	Pipe Size	Length
ZM8384	1½"	Close
ZM83842	1½"	2"
ZM8384212	1½"	2½"
ZM83843	1½"	3"
ZM8384312	1½"	3½"
ZM83844	1½"	4"
ZM83845	1½"	5"
ZM83846	1½"	6"
ZM83848	1½"	8"
ZM838410	1½"	10"
ZM838412	1½"	12"
ZM8385	2"	Close
ZM8385212	2"	2½"
ZM83853	2"	3"
ZM8385312	2"	3½"
ZM83854	2"	4"
ZM83855	2"	5"
ZM83856	2"	6"
ZM83858	2"	8"
ZM838510	2"	10"
ZM838512	2"	12"
ZM8386	2½"	Close
ZM83863	2½"	3"
ZM8386312	2½"	3½"
ZM83864	2½"	4"
ZM83865	2½"	5"
ZM83866	2½"	6"
ZM83868	2½"	8"
ZM838610	2½"	10"
ZM838612	2½"	12"
ZM8387	3"	Close
ZM83873	3"	3"
ZM8387312	3"	3½"
ZM83874	3"	4"
ZM83875	3"	5"
ZM83876	3"	6"
ZM83878	3"	8"
ZM838710	3"	10"
ZM838712	3"	12"
ZM8388	3½"	Close
ZM83884	3½"	4"
ZM83885	3½"	5"
ZM83886	3½"	6"
ZM83888	3½"	8"
ZM838810	3½"	10"
ZM838812	3½"	12"
ZM8389	4"	Close
ZM83894	4"	4"
ZM83895	4"	5"
ZM83896	4"	6"
ZM83898	4"	8"
ZM838910	4"	10"
ZM838912	4"	12"

Conduit Nipples-Zinc

- Connect Box to Conduit Coupling

Item Code	Conduit Size
ZMCN-050	½"
ZMCN-100	¾"
ZMCN-100	1"

Rigid Union Male-Steel

Item Code	Conduit Size
ZMUNM-050	½"
ZMUNM-075	¾"
ZMUNM-100	1"
ZMUNM-125	1¼"
ZMUNM-150	1½"
ZMUNM-200	2"
ZMUNM-250	2½"
ZMUNM-300	3"
ZMUNM-400	4"

Rigid Union Female-Steel

Item Code	Conduit Size
ZMUNF-050	½"
ZMUNF-075	¾"
ZMUNF-100	1"
ZMUNF-125	1¼"
ZMUNF-150	1½"
ZMUNF-200	2"
ZMUNF-250	2½"
ZMUNF-300	3"
ZMUNF-400	4"

Service Entrance Caps-Aluminum

- Clamp on type

Item Code	Conduit Size
ZMCEC-050	½"
ZMCEC-075	¾"
ZMCEC-100	1"
ZMCEC-125	1¼"
ZMCEC-150	1½"
ZMCEC-200	2"
ZMCEC-250	2½"
ZMCEC-300	3"
ZMCEC-350	3½"
ZMCEC-400	4"

Service Entrance Caps-Aluminum

- Threaded type

Item Code	Conduit Size
ZMTEC-050	½"
ZMTEC-075	¾"
ZMTEC-100	1"
ZMTEC-125	1¼"
ZMTEC-150	1½"
ZMTEC-200	2"
ZMTEC-250	2½"
ZMTEC-300	3"
ZMTEC-350	3½"
ZMTEC-400	4"

Terminal Lug-Single Aluminum

Item Code	Wire Size
ZMTA-6S	6-14
ZMTA-2	2-14
ZMTA-0	1/0-14
ZMTA-2/0	2/0-14
ZMTA-250	250MCM
ZMTA-300	300MCM
ZMTA-350	350MCM
ZMTA-500	500MCM
ZMTA-600	600MCM

Terminal Lug-Double Aluminum

Item Code	Wire Size
ZMAU-0	1/0-14
ZMAU-2/0	2/0-14
ZMAU-250	250MCM
ZMAU-300	300MCM
ZMAU-350	350MCM
ZMAU-600	600MCM
ZMAU-800	800MCM
ZMAU-1000	1000MCM

Grounding Terminal-Aluminum

Item Code	Wire Size
ZMGT-4-14	4-14#
ZMGT-4-1/0	4-1/0#

Knock-out Seals-Steel

Item Code	Size
ZMKOS-050	½"
ZMKOS-075	¾"
ZMKOS-100	1"
ZMKOS-125	1¼"
ZMKOS-150	1½"
ZMKOS-200	2"

Electrical Accessories

Earthing Rods-Copper Layer 0.1mm/ 0.25mm



Item Code	Dia.(mm)	A(mm)	B(mm)	B1(mm)	C(mm)	D(mm)	ΦE(mm)	a°
ZMERCL1	7	1000-3000	2±2%	25±5	150±50	10-12	≤5	27.5±2.5
ZMERCL2	8	1000-3000	2±2%	25±5	150±50	10-12	≤5	27.5±2.5
ZMERCL3	10	1000-3000	2±2%	25±5	150±50	10-12	≤5	27.5±2.5
ZMERCL4	12	1000-3000	2±2%	25±5	150±50	10-12	≤5	27.5±2.5
ZMERCL5	12.5(1/2")	1000-3000	2±2%	25±5	150±50	10-12	≤5	27.5±2.5
ZMERCL6	14	1000-3000	2±2%	25±5	150±50	10-12	≤5	27.5±2.5
ZMERCL7	14.2(5/8")	1000-3000	2±2%	25±5	150±50	10-12	≤5	27.5±2.5
ZMERCL8	16	1000-3000	2±2%	25±5	150±50	10-12	≤5	27.5±2.5
ZMERCL9	17.2(3/4")	1000-3000	2±2%	25±5	150±50	10-12	≤5	27.5±2.5
ZMERCL10	18	1000-3000	2±2%	25±5	150±50	10-12	≤5	27.5±2.5
ZMERCL11	20	1000-3000	2±2%	25±5	150±50	10-12	≤5	27.5±2.5
ZMERCL12	22	1000-3000	2±2%	25±5	150±50	10-12	≤5	27.5±2.5
ZMERCL13	25	1000-3000	2±2%	25±5	150±50	10-12	≤5	27.5±2.5

Ground Rod Clamps-Bronze

Item Code	Conduit Size
ZGRC-038	⅜"
ZGRC-050	½"
ZGRC-058	⅝"
ZGRC-075	¾"
ZGRC-100	1"

Split Bolt Connector-Solid Bronze

Item Code	Cable Size 1	Cable Size 2
ZMSBCS 16	16	10-16
ZMSBCS 25	25	8-12
ZMSBCS 35	35	6-10
ZMSBCS 50	50-70	4-8
ZMSBCS 90	90-120	2(strand)
ZMSBCS 150	150-185	1/0
ZMSBCS 200	200-240	2/0
	-	3/0
	-	4/0
	-	8-6
	-	6-3
	-	3-2
	-	2-1/0

Floor Outlets with Square Box



FO-1x2P FO-1x3U FO-1x3P

Specification:

Item Code	Description
ZFO-1x2P	with 10A 250V 1x2Pin Receptacle Outlet
ZFO-1x3U	with 3Pin Universal Receptacle Outlet
ZFO-1x3P	with 15A 125V Receptacle Outlet
ZFO-2x3P	with 2pcs 15A 125V Receptacle Outlet

Round Meter Socket

Square Meter Socket

Rigid / IMC Threaded Type Conduit Body

LB Style

Item Code Aluminum	Conduit Size
ZLB-050	½"
ZLB-075	¾"
ZLB-100	1"
ZLB-125	1¼"
ZLB-150	1½"
ZLB-200	2"
ZLB-250	2½"
ZLB-300	3"
ZLB-350	3½"
ZLB-400	4"

c UL us LISTED

LL Style

Item Code Aluminum	Conduit Size
ZLL-050	½"
ZLL-075	¾"
ZLL-100	1"
ZLL-125	1¼"
ZLL-150	1½"
ZLL-200	2"
ZLL-250	2½"
ZLL-300	3"
ZLL-350	3½"
ZLL-400	4"

c UL us LISTED

LR Style

Item Code Aluminum.	Conduit Size
ZLR-050	½"
ZLR-075	¾"
ZLR-100	1"
ZLR-125	1¼"
ZLR-150	1½"
ZLR-200	2"
ZLR-250	2½"
ZLR-300	3"
ZLR-350	3½"
ZLR-400	4"

c UL us LISTED

C Style

Item Code Aluminum	Conduit Size
ZC-050	½"
ZC-075	¾"
ZC-100	1"
ZC-125	1¼"
ZC-150	1½"
ZC-200	2"
ZC-250	2½"
ZC-300	3"
ZC-350	3½"
ZC-400	4"

c UL us LISTED

T Style

Item Code Aluminum	Conduit Size
ZT-050	½"
ZT-075	¾"
ZT-100	1"
ZT-125	1¼"
ZT-150	1½"
ZT-200	2"
ZT-250	2½"
ZT-300	3"
ZT-350	3½"
ZT-400	4"

c UL us LISTED

WEATHERPROOF

EMT Set Screw Type Conduit Body

LBC Style

Item Code Aluminum	Conduit Size
ZLBC-050	½"
ZLBC-075	¾"
ZLBC-100	1"
ZLBC-125	1¼"
ZLBC-150	1½"
ZLBC-200	2"
ZLBC-250	2½"
ZLBC-300	3"
ZLBC-350	3½"
ZLBC-400	4"

LLC Style



Item Code Aluminum	Conduit Size
ZLLC-050	½"
ZLLC-075	¾"
ZLLC-100	1"
ZLLC-125	1¼"
ZLLC-150	1½"
ZLLC-200	2"
ZLLC-250	2½"
ZLLC-300	3"
ZLLC-350	3½"
ZLLC-400	4"

LRC Style

Item Code Aluminum	Conduit Size
ZLRC-050	½"
ZLRC-075	¾"
ZLRC-100	1"
ZLRC-125	1¼"
ZLRC-150	1½"
ZLRC-200	2"
ZLRC-250	2½"
ZLRC-300	3"
ZLRC-350	3½"
ZLRC-400	4"

CC Style

Item Code Aluminum	Conduit Size
ZCC-050	½"
ZCC-075	¾"
ZCC-100	1"
ZCC-125	1¼"
ZCC-150	1½"
ZCC-200	2"
ZCC-250	2½"
ZCC-300	3"
ZCC-350	3½"
ZCC-400	4"

TC Style

Item Code Aluminum	Conduit Size
ZTC-050	½"
ZTC-075	¾"
ZTC-100	1"
ZTC-125	1¼"
ZTC-150	1½"
ZTC-200	2"
ZTC-250	2½"
ZTC-300	3"
ZTC-350	3½"
ZTC-400	4"

Cover & Gasket Stamped Aluminum



Item Code	Conduit Size
ZSAC-050	½"
ZSAC-075	¾"
ZSAC-100	1"
ZSAC-125/150	1¼"/1½"
ZSAC-200	2"
ZSAC-250/300	2½"/3"
ZSAC-350/400	3½"/4"

Cover & Gasket Stamped Steel



Item Code	Conduit Size
ZCF-050	½"
ZCF-075	¾"
ZCF-100	1"
ZCF-125/150	1¼"/1½"
ZCF-200	2"
ZCF-250/300	2½"/3"
ZCF-350/400	3½"/4"

EMT/ Rigid / IMC Set Screw & Threaded type Conduit

LBE Style

Item Code Aluminum	Conduit Size
ZLBE-050	½"
ZLBE-075	¾"
ZLBE-100	1"
ZLBE-125	1¼"
ZLBE-150	1½"
ZLBE-200	2"

LLE Style



Item Code Aluminum	Conduit Size
ZLLE-050	½"
ZLLE-075	¾"
ZLLE-100	1"
ZLLE-125	1¼"
ZLLE-150	1½"
ZLLE-200	2"

LRE Style

Item Code Aluminum	Conduit Size
ZLRE-050	½"
ZLRE-075	¾"
ZLRE-100	1"
ZLRE-125	1¼"
ZLRE-150	1½"
ZLRE-200	2"

CE Style

Item Code Aluminum	Conduit Size
ZCE-050	½"
ZCE-075	¾"
ZCE-100	1"
ZCE-125	1¼"
ZCE-150	1½"
ZCE-200	2"

TE Style



Item Code Aluminum	Conduit Size
ZTE-050	½"
ZTE-075	¾"
ZTE-100	1"
ZTE-125	1¼"
ZTE-150	1½"
ZTE-200	2"

WEATHERPROOF

Threaded Type Conduit Body

LB Style

Item Code Malleable Iron	Conduit Size
ZMLB-50	½"
ZMLB-75	¾"
ZMLB-100	1"
ZMLB-125	1¼"
ZMLB-150	1½"
ZMLB-200	2"
ZMLB-250	2½"
ZMLB-300	3"
ZMLB-350	3½"
ZMLB-400	4"

LL Style

Item Code Malleable Iron	Conduit Size
ZMLL-50	½"
ZMLL-75	¾"
ZMLL-100	1"
ZMLL-125	1¼"
ZMLL-150	1½"
ZMLL-200	2"
ZMLL-250	2½"
ZMLL-300	3"
ZMLL-350	3½"
ZMLL-400	4"

LR Style

Item Code Malleable Iron	Conduit Size
MLR-50	½"
MLR-75	¾"
MLR-100	1"
MLR-125	1¼"
MLR-150	1½"
MLR-200	2"
MLR-250	2½"
MLR-300	3"
MLR-350	3½"
MLR-400	4"

C Style

Item Code Malleable Iron	Conduit Size
MC-50	½"
MC-75	¾"
MC-100	1"
MC-125	1¼"
MC-150	1½"
MC-200	2"
MC-250	2½"
MC-300	3"
MC-350	3½"
MC-400	4"

T Style

Item Code Malleable Iron	Conduit Size
MT-50	½"
MT-75	¾"
MT-100	1"
MT-125	1¼"
MT-150	1½"
MT-200	2"
MT-250	2½"
MT-300	3"
MT-350	3½"
MT-400	4"

TB Style

Item Code Malleable Iron	Conduit Size
MTB-50	½"
MTB-75	¾"
MTB-100	1"
MTB-125	1¼"
MTB-150	1½"
MTB-200	2"

X Style

Item Code Malleable Iron	Conduit Size
MX-50	½"
MX-75	¾"
MX-100	1"
MX-125	1¼"
MX-150	1½"
MX-200	2"

Aluminum Weatherproof Boxes

4x2" Single Gang

	Item Code	Hub Size	Deep	Outlets
Three Outlets	Z1G50-3	½"	2"	Top 1
	Z1G75-3	¾"	2"	Bottom 1
	Z1G100-3	1"	2"	Back 1
	Z1DG50-3	½"	2⅝"	Total 3
	Z1DG75-3	¾"	2⅝"	
	Z1DG100-3	1"	2⅝"	
Four Outlets	Z1G50-4	½"	2"	Top 2
	Z1G75-4	¾"	2"	Bottom 1
	Z1DG50-4	½"	2⅝"	Back 1
	Z1DG75-4	¾"	2⅝"	Total 4
Five Outlets	Z1G50-5	½"	2"	Top 2
	Z1G75-5	¾"	2"	Bottom 2
				Back 1
				Total 5
Five Outlets(2 side)	Z1G50-5X	½"	2"	Top 1
	Z1G75-5X	¾"	2"	Bottom 1
	Z1DG50-5X	½"	2⅝"	Side 1
	Z1DG75-5X	¾"	2⅝"	Side 1
	Z1DG100-5X	1"	2⅝"	Back 1
				Total 5

Three Gang

	Cat.No.	Hub Size	Deep	Outlets
	Z3G50-7	½"	2⅝"	Top 3
	Z3G75-7	¾"	2⅝"	Bottom 3
	Z3G100-7	1"	2⅝"	Back 1
				Total 7

4" Round Boxes

	Cat.No.	Hub Size	Deep	Outlets
	ZRB50-5	½"	1⁹⁄₁₆"	Bottom 1
	ZRB75-5	¾"	1⁹⁄₁₆"	Side 1
				Side 1
				Side 1
				Side 1
				Total 5

4x4" Two Gang

	Item Code	Hub Size	Deep	Outlets
Three Outlets	Z2G50-3	½"	2³⁄₁₆"	Top 1
	Z2G75-3	¾"	2³⁄₁₆"	Bottom 1
	Z2G100-3	1"	2³⁄₁₆"	Back 1
				Total 3
Four Outlets	Z2G50-4	½"	2³⁄₁₆"	Top 2
	Z2G75-4	¾"	2³⁄₁₆"	Bottom 1
	Z2G100-4	1"	2³⁄₁₆"	Back 1
				Total 4
Five Outlets	Z2G50-5	½"	2³⁄₁₆"	Top 2
	Z2G75-5	¾"	2³⁄₁₆"	Bottom 2
	Z2DG50-5	½"	2⅝"	Back 1
	Z2DG75-5	¾"	2⅝"	Total 5
	Z2DG100-5	1"	2⅝"	
Five Outlets(2 side)	Z2G50-5X	½"	2³⁄₁₆"	Top 1
	Z2G75-5X	¾"	2³⁄₁₆"	Bottom 1
	Z2G100-5X	1"	2³⁄₁₆"	Side 1
				Side 1
				Back 1
				Total 5
Seven Outlets	Z2G50-7	½"	2³⁄₁₆"	Top 3
	Z2G75-7	¾"	2³⁄₁₆"	Bottom 3
				Back 1
				Total 7
Seven Outlets(2 side)	Z2G50-7X	½"	2³⁄₁₆"	Top 2
	Z2G75-7X	¾"	2³⁄₁₆"	Bottom 2
	Z2DG50-7X	½"	2⅝"	Side 1
	Z2DG75-7X	¾"	2⅝"	Side 1
	Z2DG100-7X	1"	2⅝"	Back 1
				Total 7
Nine Outlets	Z2G50-9	½"	2³⁄₁₆"	Top 3
	Z2G75-9	¾"	2³⁄₁₆"	Bottom 3
				Side 1
				Side 1
				Back 1
				Total 9

Weatherproof Boxes and Covers

Extensions-Single Gang

Item Code	Hub Size	Deep	Outlets
ZEXR-1	N/A	1 3/8"	0
ZEXB50-4	1/2"	1 3/8"	4
ZEXB75-4	3/4"	1 3/8"	4
ZEXB50-6	1/2"	1 3/8"	6
ZEXB75-6	3/4"	1 3/8"	6

Non-outlet

W/ 4 Outlets



W/ 6 Outlets



Cat.No.	Hub Size	Deep	Outlets
ZEXF50-2	1/2"	1 9/16"	2
ZEXF50-4	1/2"	1 9/16"	4
ZEXF75-4	3/4"	1 9/16"	4
ZEXF50-6	1/2"	1 9/16"	6
ZEXF75-6	3/4"	1 9/16"	6

W/ 2 Outlets



W/ 4 Outlets



W/ 6 Outlets



Blank Covers

	Item Code	Description
Round	ZMRBC-4	4" Round Cover
Single Gang	ZM1BC	1 Gang Device Mount
Two Gang	ZM2BC	2 Gang Device Mount
Three Gang	ZM3BC	3 Gang Device Mount

Extensions-Two Gang

Item Code	Hub Size	Deep	Outlets
ZEXR-2	-	1 3/8"	0
Z2EXB50-6	1/2"	1 3/8"	6
Z2EXB75-6	3/4"	1 3/8"	6
Z2EXB50-8	1/2"	1 3/8"	8
Z2EXB75-8	3/4"	1 3/8"	8

Non-outlet



W/ 6 Outlets



W/ 8 Outlets



Extensions-Round

Item Code	Hub Size	Deep	Outlets
ZEXR50-4	1/2"	1 9/16"	4
ZEXR75-4	3/4"	1 9/16"	4

Closure Plugs

Item Code	Hub Size
ZPL-050	1/2"
ZPL-075	3/4"
ZPL-100	1"

Lampholder-Aluminum



Item Code	Description
ZMLH-150-5	Inside gasket and ground screw 150W PAR 38

Lampholder Assemblies-Aluminum



Item Code	Description
ZMLC23N	120V 150W PAR 38 Lamholder with Round Cover

Weatherproof Box Covers

4" Round Lamp Holder Covers Aluminum

Item Code	Hub Size	Outlet Holes	Description
ZRC-1	1/2"	1	One tapped hole
ZRC-2	1/2"	2	Two tapped hole
ZRC-3	1/2"	3	Three tapped hole

Jumbo Covers-Aluminum



Item Code	Hub Size	Outlet Holes	Description
ZRC-1-N	1/2"	1	One tapped hole
ZRC-2-N	1/2"	2	Two tapped hole
ZRC-3-N	1/2"	3	Three tapped hole

Single Lamp Holder Covers Aluminum



Item Code	Hub Size	Outlet Holes	Description
ZRE-1	1/2"	1	One hole device mount
ZRE-2	1/2"	2	Two hole device mount
ZRE-3	1/2"	3	Three hole device mount

Single Gang Device Covers



1C-DH 1C-DV 1C-GH 1C-GV TS100

Item Code	Description
Z1C-DH	Duplex Receptacle Cover,Horizontal
Z1C-DV	Duplex Receptacle Cover,Vertical
Z1C-GH	GFCI Receptacle Cover,Horizontal
Z1C-GV	GFCI Receptacle Cover,Vertical
ZTS100	One Gang Cover

Two Gang Device Covers



2C-2D 2C-2G 2C-GD TS200 2C-2S 2C-SD 2C-GS

Item Code	Description
Z2C-2D	Two Duplex Receptacle Cover,Horizontal
Z2C-2G	Two GFCI Receptacle Cover,Vertical
Z2C-GD	One Duplex and one GFCI Receptacle Cover
Z2C-2S	Two single Receptacle Cover-1.41"Dia.opening
Z2C-SD	One single and One Duplex Receptacle Cover-1.41"Dia.opening
Z2C-GS	Single Receptacle and one GFCI Receptacle Cover-1.41"Dia.opening
ZTS200	Double Switch Cover

WEATHERPROOF

Square Boxes and Covers

4" Square Boxes,Drawn Type

Item Code	Knockouts	
	Side	Bottom
1½" Deep-with Conduit KO's Thickness: 0.8mm 1.0mm 1.2mm 1.4mm 1.5mm 1.6mm		
ZM52151- ½	12x1/2"	5x1/2"
ZM52151- ¾	8x3/4"	3x1/2",2x3/4"
ZM52151- ¼&½	8x1/2",4x3/4"	3x1/2",2x3/4"
1⅞" Deep-with Conduit KO's Thickness: 0.8mm 1.0mm 1.2mm 1.4mm 1.5mm 1.6mm		
ZM52161-½	12x1/2"	5x1/2"
ZM52161-¾	8x3/4"	3x1/2",2x3/4"
ZM52161- ½ & ¾	8x1/2",4x3/4"	3x1/2",2x3/4"
ZM52161-1	8x1"	3x1/2",2x3/4"
ZM52161-¾ & 1	4x3/4",4x1"	3x1/2",2x3/4"
2⅛" Deep-with Conduit KO's Thickness: 1.0mm 1.2mm 1.4mm 1.5mm 1.6mm		
ZM52171- ½	12x1/2"	5x1/2"
ZM52171- ¾	8x3/4"	3x1/2",2x3/4"
ZM52171- ½ &¾	8x1/2",4x3/4"	3x1/2",2x3/4"
ZM52171-1	8x1"	3x1/2",2x3/4"
ZM52171-¾ & 1	4x3/4",4x1"	3x1/2",2x3/4"

Note: Concentric KO.type & Grounding type also available

4" Square Extension Rings,Drawn Type

Item Code	Knockouts
	EA.Side
1½" Deep-with Conduit KO's Thickness: 0.8mm 1.0mm 1.2mm 1.4mm 1.5mm	
ZM53151 ½	12x1/2"
ZM53151- ½	8x1/2"
ZM53151- ½ &¾	8x1/2",4x3/4"
2⅛" Deep-with Conduit KO's Thickness: 1.0mm 1.2mm 1.4mm 1.5mm	
ZM53171- 1/2	12x1/2"
ZM53171-3/4	8x3/4"
ZM53171- ½&¾	8x1/2",4x3/4"
ZM53171-1	8x1"
ZM53171- & ¾	4x3/4",4x1"



52C1

52C6 / 52C8

4" Square Box Covers

Thickness: 0.8mm 1.0mm 1.2mm 1.5mm 1.6mm

Item Code	Description
ZM52C1	Flat,blank
ZM52C6	Flat,with ½" KO.
ZM52C8	Flat,with ¾" KO.

4" Square Device Covers

For Single Device,Steel



52C0 52C10 52C13 52C3

Item Code	Raised	Description
Thickness: 1.0mm 1.2mm 1.5mm 1.6mm		
ZM52C0	0	Flat
ZM52C10	¼"	-
ZM52C62	¼"	Keyed for Plaster
ZM52C13	½"	-
ZM52C3	½"	W/ Mud Ring

4" Square Device Covers

For Two Devices,Steel



52C00 52C20-25 52C17-25

Item Code	Raised	Description
Thickness: 1.0mm 1.2mm 1.5mm 1.6mm		
ZM52C00	0	Flat
ZM52C20-25	¼"	-
ZM52C17-25	½"	-

Rectangular Boxes and Covers

4x2" Rectangular Boxes,Drawn Type



Item Code	Knockouts	
	Side	Bottom
1½" Deep-with Conduit KO's Thickness: 0.8mm 1.0mm 1.2mm 1.4mm 1.5mm		
ZM58351-½	8x1/2"	3x1/2"
ZM58351-¾	6x3/4"	2x3/4"
ZM38351-½&¾	6x1/2",2x3/4"	2x1/2",1x3/4"
1 7/8 " Deep-with Conduit KO's Thickness: 0.8mm 1.0mm 1.2mm 1.4mm 1.5mm 1.6mm		
ZM58361- 1/2"	8x1/2"	3x1/2"
ZM58361- 3/4"	6x3/4"	2x3/4"
ZM58361- ½ &¾	4x1/2",4x3/4"	2x1/2",1x3/4"
2⅛" Deep-with Conduit KO's Thickness: 1.0mm 1.2mm 1.4mm 1.5mm 1.6mm		
ZM58371- 1/ 2	8x1/2"	3x1/2"
ZM58371- ¾	6x3/4"	2x3/4"
ZM58371- ½ &¾	4x1/2",4x3/4"	2x1/2",1x3/4"
ZM58371-1	6x1"	2x1/2",1x3/4"

Note: Concentric KO.type & Grounding type also available

4x2" Rectangular Box Extension Rings



Item Code	Knockouts
	EA.Side
1½" Deep-with Conduit KO's Thickness: 0.8mm 1.0mm 1.2mm 1.5mm	
ZM59351-½	8x1/2"
1⅞"Deep-with Conduit KO's Thickness: 0.8mm 1.0mm 1.2mm 1.4mm 1.5mm	
ZM59361- ½	8x1/2"
ZM59361-¾	6x3/4"
ZM59361- ½&¾	4x1/2",4x3/4"
2⅛"Deep-with Conduit KO's Thickness: 1.0mm 1.2mm 1.4mm 1.5mm	
ZM59371- ½	8x1/2"
ZM59371- ¾	6x3/4"
ZM59371- ½&¾	4x1/2",4x3/4"
ZM59371-1	6x1"

4x2" Rectangular Box Covers



58C1 58C4 58C5 58C6 58C7 58C11 58C16 58C30

Item Code	Hole Size	Description
Thickness: 0.8mm 1.0mm 1.2mm 1.5mm		
ZM58C1		Blank
ZM58C4	1 19/32"	For 4-wire twist-lock single flush receptacle
ZM58C5	1 13/32"	For single receptacle
ZM58C6		With ½" KO.
ZM58C7		For duplex flush receptacle
ZM58C11		With 15/32" bushed hole
ZM58C16		For single GFCI receptacle
ZM58C30		For one toggle switch

Octagonal Boxes and Covers

4" Octagonal Boxes,Drawn Type

Item Code	Knockouts	
	Side	Bottom
1½" Deep-with Conduit KO's Thickness: 0.8mm 1.0mm 1.2mm 1.4mm 1.5mm 1.6mm		
ZM54151- ½	4x1/2"	5x1/2"
ZM54151- ¾	4x3/4"	3x1/2",2x3/4"
ZM54151- ½&¾	2x1/2",2x3/4"	3x1/2",2x3/4"
1⅞" Deep-with Conduit KO's Thickness: 0.8mm 1.0mm 1.2mm 1.4mm 1.5mm 1.6mm		
ZM54161- ½	4x1/2"	5x1/2"
ZM54161- ¾	4x3/4"	3x1/2",2x3/4"
ZM54161- ½&¾	2x1/2",2x3/4"	3x1/2",2x3/4"
2⅛" Deep-with Conduit KO's Thickness: 1.0mm 1.2mm 1.4mm 1.5mm 1.6mm		
ZM54171- ½	4x1/2"	5x1/2"
ZM54171- ¾	4x3/4"	3x1/2",2x3/4"
ZM54171- ½ &¾	2x1/2",2x3/4"	3x1/2",2x3/4"
ZM54171-1	4x1"	3x1/2",2x3/4"
ZM54171-¾ & 1	2x3/4",2x1"	3x1/2",2x3/4"

Note: Concentric KO.type & Grounding type also available

4" Octagonal Box Extension Rings,Drawn Type



Item Code	Knockouts
	EA.Side
1½" Deep-with Conduit KO's Thickness: 0.8mm 1.0mm 1.2mm 1.5mm 1.6mm	
ZM55151-½	4x1/2"
ZM55151- ¾	4x3/4"
ZM55151- ½ ¾	2x1/2",2x3/4"

4" Octagonal Side Boxes,Drawn Type

Item Code	Knockouts	
	EA.Side	Bottom
1¾" Deep-with Conduit KO's Thickness: 0.8mm 1.0mm 1.2mm 1.4mm 1.5mm 1.6mm		
ZM54151C- ½ &¾	6x1/2"&3/4" Concentric	2x1/2",1x3/4"



54C1

54C6 / 54C8

4" Octagonal Box Covers

Thickness: 0.8mm 1.0mm 1.2mm 1.5mm 1.6mm

Item Code	Description
ZM54C1	Flat,blank
ZM54C6	Flat,with ½" KO.
ZM54C8	Flat,with ¾" KO.

54C1R

54C6R / 54C8R



54C3

4" Octagonal Box Round Covers

Thickness: 0.8mm 1.0mm 1.2mm 1.5mm 1.6mm

Item Code	Description
ZM54C1R	Flat,blank
ZM54C6R	Flat,with ½" KO.
ZM54C8R	Flat,with ¾" KO.
ZM54C3	W/ Mud Ring

Square Boxes and Covers

4" Square Boxes,Weld Type

Item Code	Knockouts	
	EA.Side	Bottom
2⅛" Deep-with Conduit KO's Thickness: 1.2mm 1.5mm 1.6mm		
ZM52171W½	12x1/2"	3x1/2",2x3/4"
ZM52171W- ¾	8x3/4"	3x1/2",2x3/4"
ZM52171W½ &¾	8x1/2",4x3/4"	3x1/2",2x3/4"
ZM52171W-1	8x1"	3x1/2",2x3/4"
ZM52171W-¾&1	4x3/4",4x1"	3x1/2",2x3/4"

Note: Concentric KO.type & Grounding type also available

4-11/16" Square Box Cover



72C1



72C6 / 72C8

Thickness: 1.0mm 1.2mm 1.5mm 1.6mm

Item Code	Description
ZM72C1	Flat,blank
ZM72C6	Flat,with ½" KO.
ZM72C8	Flat,with ¾" KO.





4-11/16" Square Boxes,Weld Type



Item Code	Knockouts	
	EA.Side	Bottom
2⅛" Deep-with Conduit KO's Thickness: 1.2mm 1.5mm 1.6mm		
ZM72171W-¾	8x3/4"	5x1/2"
ZM72171W-½&¾	8x1/2",4x3/4"	3x1/2",2x3/4"
ZM72171W-1	8x1"	3x1/2",2x3/4"
ZM72171W-¾&1	4x3/4",4x1"	3x1/2",2x3/4"
ZM72171W-1¼	4x1-1/4"	3x1/2",2x3/4"

Note: Concentric KO.type & Grounding type also available

4-11/16" Square Boxes,Drawn Type

Item Code	Knockouts	
	EA.Side	Bottom
2⅛" Deep-with Conduit KO's Thickness: 1.2mm 1.5mm 1.6mm		
ZM72171-½	12x1/2"	5x1/2"
ZM72171-¾	8x3/4"	3x1/2",2x3/4"
ZM72171-½&¾	8x1/2",4x3/4"	3x1/2",2x3/4"
ZM72171-1	8x1"	3x1/2",2x3/4"
ZM72171-¾&1	4x3/4",4x1"	3x1/2",2x3/4"
ZM72171-1¼	4x1-1/4"	3x1/2",2x3/4"

Note: Concerntric KO.type & Grounding type also available

Multi-gang Box and Covers

Type	Knockouts	
	EA.Side	Bottom
1⅞" Deep-with Conduit KO's Thickness: 1.6mm		
2 gang	12x1/2"&3/4" Concentric	4x1/2",2x3/4"
3 gang	14x1/2"&3/4" Concentric	6x1/2",4x3/4"
4 gang	16x1/2"&3/4" Concentric	6x1/2",4x3/4"
5 gang	18x1/2"&3/4" Concentric	6x1/2",4x3/4"

Electrial Conduit Box

1 Gang Metal Junction Box



Double Metal Junction Box



1+1 Metal Junction Box



1+1+1 Metal Junction Box



1+1+1+1 Metal Junction Box



100x50mm Magic Box



1 Gang Switch Box Cover	
Item Code	Description
ZM55C20	20mm K.O.
ZM55C25	25mm K.O.
ZM55C6	1/2" K.O.
ZM55C8	3/4" K.O.



2 Gang BS GI Box



3 Gang BS GI Box



4 Gang BS GI Box



Adaptable GI Box & Cover

100x100x55	100x100x100
150x150x50	150x150x100
200x200x50	200x200x100
250x250x50	250x250x100
300x300x50	300x300x100
400x400x50	400x400x100
150x150x75	150x150x150
200x200x75	200x200x150
250x250x75	250x250x150
300x300x75	300x300x150
400x400x75	400x400x150

Galvanized Flexible Conduit-Economic

To South American and Middle East Market

Item Code	Trade Size	Inside Dia. (mm)	Outside Dia. (mm)	Coil Length (m)
ZMGFC 11	3/8"	13	15.5	100/50/30
ZMGFC 11	1/2"	19	21.5	100/50/30
ZMGFC 13	3/4"	22	26	100/50/30
ZMGFC 14	1"	28	31	100/50/30
ZMGFC 15	1 1/4"	35	39	50/25/20
ZMGFC 16	1 1/2"	42	46	50/25/15
ZMGFC 17	2"	54	60	50/15/10
ZMGFC 18	2 1/2"	66	74	20/15/10
ZMGFC 19	3"	78	88	20/15/10
ZMGFC 20	4"	100	113	20/15/10

Other length of per coil also available

Greenfield Flexible Conduit-Heavy Duty

To American Market

c UL us LISTED

Item Code	Trade Size	Inside Dia. (mm)	Outside Dia. (mm)	Coil Length (m)
ZMGFCH 1	3/8"	10.0	14.8	50/30
ZMGFCH 2	1/2"	16.4	22.5	50/30
ZMGFCH 3	3/4"	20.5	26.4	50/30
ZMGFCH 4	1"	26.4	32.5	50/30
ZMGFCH 5	1 1/4"	32.5	40.2	25/15
ZMGFCH 6	1 1/2"	38.9	47.0	25/15
ZMGFCH 7	2"	51.9	61.0	15/7.5
ZMGFCH 8	2 1/2"	63.0	74.0	15/7.5
ZMGFCH 9	3"	75.0	88.0	15/7.5
ZMGFCH 10	4"	100.0	114.0	15/7.5

Other length of per coil also available

Squeeze Connector Straight-

Die Cast Zinc

c UL us LISTED

Item Code	Conduit Size
Non-insulated	
ZMSSC-038	3/8"
ZMSSC-050	1/2"
ZMSSC-075	3/4"
ZMSSC-100	1"
ZMSSC-125	1 1/4"
ZMSSC-150	1 1/2"
ZMSSC-200	2"
ZMSSC-250	2 1/2"
ZMSSC-300	3"
ZMSSC-400	4"

90°Squeeze Connector-

Die Cast Zinc

c UL us LISTED

Item Code	Conduit Size
Non-insulated	
ZASC-038	3/8"
ZASC-050	1/2"
ZASC-075	3/4"
ZASC-100	1"
ZASC-125	1 1/4"
ZASC-150	1 1/2"
ZASC-200	2"
ZASC-250	2 1/2"
ZASC-300	3"
ZASC-400	4"

Liquid Tight Conduit with Filler of Cord

Item Code	Trade Size	Inside Dia.(mm)		Outside Dia(mm).		Coil Length (m)	Color
		Min.	Max.	Min.	Max.		
ZZLTC12	3/8"	12.2	12.8	17.5	18.0	100/50/30	Black/Grey
ZZLTC13	1/2"	15.8	16.3	20.8	21.3	100/50/30	
ZZLTC14	3/4"	20.7	21.3	26.0	26.7	100/50/30	
ZZLTC15	1"	26.4	27.0	32.8	33.4	100/50/30	
ZZLTC16	1 1/4"	34.6	35.8	41.4	42.2	30/15	
ZZLTC17	1 1/2"	39.8	40.6	47.4	48.3	30/15	
ZZLTC18	2"	51.3	51.9	59.4	60.3	15/7.5	
ZZLTC19	2 1/2"	62.9	63.6	72.1	73.2	10/7.5	
ZZLTC20	3"	76.0	78.7	87.9	89.0	10/7.5	
ZZLTC12	4"	98.0	102.5	113.3	114.3	10/7.5	

Other length of per coil also available

PVC Coated Flexible Conduit, Grey Color

Item Code	Trade Size	Inside Dia. (mm)	Outside Dia. (mm)	Coil Length (m)
PVCCFC50	3/8"	12	16.5	100/50/30
PVCCFC51	1/2"	16	21	100/50/30
PVCCFC52	3/4"	20	25	100/50/30
PVCCFC53	1"	26	32	100/50/30
PVCCFC54	1 1/4"	35	41	50/25/15
PVCCFC55	1 1/2"	40	49	50/25/15
PVCCFC56	2"	51	60	30/15/7.5
PVCCFC57	2 1/2"	64	72	15/7.5
PVCCFC58	3"	77	86	15/7.5
PVCCFC59	4"	101	113	15/7.5

Other length of per coil also available

Liquid Tight Connector Straight-

Die Cast Zinc



c UL us LISTED

Item Code	Item Code	Conduit Size
Non-insulated	Insulated	
ZSLT-038	SLT-038I	3/8"
ZSLT-050	SLT-050I	1/2"
ZSLT-075	SLT-075I	3/4"
ZSLT-100	SLT-100I	1"
ZSLT-125	SLT-125I	1 1/4"
ZSLT-150	SLT-150I	1 1/2"
ZSLT-200	SLT-200I	2"
ZSLT-250	SLT-250I	2 1/2"
ZSLT-300	SLT-300I	3"
ZSLT-400	SLT-400I	4"
ZSLT-600	SLT-600I	6"

90°Liquid Tight Connector-

Die Cast Zinc

c UL us LISTED

Item Code	Item Code	Conduit Size
Non-insulated	Insulated	
ZALT-038	ALT-038I	3/8"
ZALT-050	ALT-050I	1/2"
ZALT-075	ALT-075I	3/4"
ZALT-100	ALT-100I	1"
ZALT-125	ALT-125I	1 1/4"
ZALT-150	ALT-150I	1 1/2"
ZALT-200	ALT-200I	2"
ZALT-250	ALT-250I	2 1/2"
ZALT-300	ALT-300I	3"
ZALT-400	ALT-400I	4"

Liquid Tight Connector Straight-

Malleable Iron

Item Code	Item Code	Conduit Size
Non-insulated	Insulated	
ZSLT-038M	SLT-038MI	3/8"
ZSLT-050M	SLT-050MI	1/2"
ZSLT-075M	SLT-075MI	3/4"
ZSLT-100M	SLT-100MI	1"
ZSLT-125M	SLT-125MI	1 1/4"
ZSLT-150M	SLT-150MI	1 1/2"
ZSLT-200M	SLT-200MI	2"

c UL us LISTED

Grounding Liquid Tight Connector Straight-

Malleable Iron

Item Code	Item Code	Conduit Size
Non-insulated	Insulated	
ZGSLT-038	GSLT-038I	3/8"
ZGSLT-050	GSLT-050I	1/2"
ZGSLT-075	GSLT-075I	3/4"
ZGSLT-100	GSLT-100I	1"
ZGSLT-125	GSLT-125I	1 1/4"
ZGSLT-150	GSLT-150I	1 1/2"
ZGSLT-200	GSLT-200I	2"

45 Liquid Tight Connector-

Malleable Iron

Item Code	Item Code	Conduit Size
Non-insulated	Insulated	
ZALT-03845	ALT-03845I	3/8"
ZALT-05045	ALT-05045I	1/2"
ZALT-07545	ALT-07545I	3/4"
ZALT-10045	ALT-10045I	1"
ZALT-12545	ALT-12545I	1 1/4"
ZALT-15045	ALT-15045I	1 1/2"
ZALT-20045	ALT-20045I	2"

c UL us LISTED

45 Grounding Liquid Tight Connector-

Malleable Iron

Item Code	Item Code	Conduit Size
Non-insulated	Insulated	
MALT-03845	GALT-03845I	3/8"
MALT-05045	GALT-05045I	1/2"
MALT-07545	GALT-07545I	3/4"
MALT-10045	GALT-10045I	1"
MALT-12545	GALT-12545I	1 1/4"
MALT-15045	GALT-15045I	1 1/2"
MALT-20045	GALT-20045I	2"

90 Liquid Tight Connector-

Malleable Iron

Item Code	Item Code	Conduit Size
Non-insulated	Insulated	
ZLT-03890	ALT-03890I	3/8"
ZLT-05090	ALT-05090I	1/2"
ZLT-07590	ALT-07590I	3/4"
ZLT-10090	ALT-10090I	1"
ZLT-12590	ALT-12590I	1 1/4"
ZLT-15090	ALT-15090I	1 1/2"
ZLT-20090	ALT-20090I	2"

c UL us LISTED

90 Grounding Liquid Tight Connector-

Malleable Iron

Item Code	Item Code	Conduit Size
Non-insulated	Insulated	
MALT-03890	GALT-03890I	3/8"
MALT-05090	GALT-05090I	1/2"
MALT-07590	GALT-07590I	3/4"
MALT-10090	GALT-10090I	1"
MALT-12590	GALT-12590I	1 1/4"
MALT-15090	GALT-15090I	1 1/2"
MALT-20090	GALT-20090I	2"

Liquid Tight Connector Straight-

Galvanized Steel

Item Code	Item Code	Conduit Size
Non-insulated	Insulated	
MSLT-038S	SLT-038SI	3/8"
MSLT-050S	SLT-050SI	1/2"
MSLT-075S	SLT-075SI	3/4"
MSLT-100S	SLT-100SI	1"
MSLT-125S	SLT-125SI	1 1/4"
MSLT-150S	SLT-150SI	1 1/2"
MSLT-200S	SLT-200SI	2"

Liquid Tight Connector Male -

SS304

Item Code	Conduit Size
Insulated	
ZSLT-050SS	1/2"
ZSLT-075SS	3/4"
ZSLT-100SS	1"
ZSLT-125SS	1 1/4"
ZSLT-150SS	1 1/2"
ZSLT-200SS	2"

Screw-in Connectors-

Die Cast Zinc or Aluminum

Item Code	Item Code	Conduit Size
Zinc	Aluminum	
ZXC-038	XC-038A	3/8"
ZXC-050	XC-050A	1/2"
ZXC-075	XC-075A	3/4"
ZXC-100	XC-100A	1"

Screw-in Couplings-

Die Cast Zinc

Item Code	Conduit Size
ZXK-050	1/2"
ZXK-075	3/4"
ZXK-100	1"

One Screw Duplex Connector

Die Cast Zinc

Item Code	Cable Size
Non-insulated	
ZOSDC-038	3/8"

c UL us LISTED

Saddle type Connector-

Die Cast Zinc

Item Code	Cable Size
Non-insulated	
ZSTFC-038	3/8"

c UL us LISTED

NM Cable Connector-

Die Cast Zinc

Item Code	Cable Size
Non-insulated	
ZRTCC-050	1/2"
ZRTCC-075	3/4"
ZRTCC-100	1"

c UL us LISTED

Combination Cable Connector-

Die Cast Zinc

Item Code	Cable Size
Non-insulated	
ZSCCC-038	3/8" (1/2" KO.)

c UL us LISTED

Two Screw Duplex Connector-

Aluminum or Zinc Die Cast

Item Code	Conduit Size
Non-Insulated	
ZDPC-050	1/2" x 16mm
ZDPC-075	3/4" X 20mm
ZDPC-100	1" X 25mm

Thread x Inner Dia.of Flex. Conduit

Flex Conduit Connector,to Thailand Market

Zinc Die Cast

Item Code	Conduit Size
Non-Insulated	
ZFCC-050	1/2" x 12.5mm
ZFCC-075	3/4" x 18.0mm
ZFCC-100	1" x 25.5mm

Thread x Inner Dia.of Flex. Conduit

Non Metallic Liquid Tight Conduit

Item Code	Trade Size	Inside Dia. (mm)	Outside Dia. (mm)	Coil Length (m)
ZMNPLT 33	½"	16	21	20
ZMNPLT 34	¾"	20	26	15
ZMNPLT 35	1"	25	32	10
ZMNPLT 36	1¼"	32	40	10
ZMNPLT 37	1½"	40	48	5
ZMNPLT 38	2"	51	60	5

NM Liquid Tight Connector Straight -

6/6 Nylon

Item Code	Conduit Size
SLT-038N	⅜"
SLT-050N	½"
SLT-075N	¾"
SLT-100N	1"
SLT-125N	1¼"
SLT-150N	1½"
SLT-200N	2"

90°NM Liquid Tight Connector-

6/6 Nylon

Item Code	Conduit Size
ZLT-038N	⅜"
ZLT-050N	½"
ZLT-075N	¾"
ZLT-100N	1"
ZLT-125N	1¼"
ZLT-150N	1½"
ZLT-200N	2"

Galvanized Flexible Conduit,to Philippines Market

Item Code	Trade Size	Inside Dia. (mm)	Outside Dia. (mm)	Coil Length (m)
ZMGFC88	⅜"	13	15.5	30
ZMGFC89	½"	16	19	30
ZMGFC90	¾"	20	23	30
ZMGFC91	1"	25	29	30
ZMGFC92	1¼"	32	37	30
ZMGFC93	1½"	38	43	30
ZMGFC94	2"	51	57.5	30

SS304 Flexible Wire Braiding General Conduit

Item Code	Trade Size	Inside Dia. (mm)	Outside Dia. (mm)	Coil Length (m)
ZMFWBG1	⅜"	12	19	50
ZMFWBG2	½"	16	23	30
ZMFWBG3	¾"	20	28	30
ZMFWBG4	1"	25	34	30
ZMFWBG5	1¼"	32	42	15
ZMFWBG6	1½"	38	49	15
ZMFWBG7	2"	51	62	15
ZMFWBG8	2½"	63	75	10
ZMFWBG9	3"	75	89	10
ZMFWBG10	4"	100	116	10

JS Type Flexible Steel Conduit-

Pre-galvanized

JL Type PVC Coated Flexible Conduit-

Grey Color

Item Code	Trade Size	Inside Dia. (mm)	Outside Dia. (mm)	Coil Length (m)
ZTFS 55	⅜"	12	16	100/50/30
ZTFS 56	½"	16	19	100/50/30
ZTFS 57	¾"	20	24	100/50/30
ZTFS 58	1"	25	30	100/50/30
ZTFS 59	1¼"	32	38	50/25/20
ZTFS 60	1½"	38	45	50/25/15
ZTFS 61	2"	51	59	50/15/10
ZTFS 62	2½"	63	70	20/15/10
ZTFS 63	3"	75	84	20/15/10
ZTFS 64	4"	100	112	20/15/10
ZTFS 65	5"	125	137	5
ZTFS 66	6"	150	162	5

Other length of per coil also available

PVC Coated Flexible Conduit-Halogen Free

Black Color

Item Code	Trade Size	Inside Dia. (mm)	Outside Dia. (mm)	Coil Length (m)
ZFCH66	⅜"	12	17	50
ZFCH67	½"	16	21	30
ZFCH68	¾"	20	26	30
ZFCH69	1"	25	32	30
ZFCH70	1¼"	32	40	15
ZFCH71	1½"	38	47	15
ZFCH72	2"	51	61	15
ZFCH73	2½"	63	72	10
ZFCH74	3"	75	88	10
ZFCH75	4"	100	114	10

Other length of per coil also available

Metal Ferrule-

Galvanized Steel

Item Code	Conduit Size
ZF-014	¼"
ZF-038	⅜"
ZF-050	½"
ZF-075	¾"
ZF-100	1"
ZF-125	1¼"
ZF-150	1½"
ZF-200	2"
ZF-250	2½"
ZF-300	3"
ZF-400	4"
ZF-500	5"
ZF-600	6"

Metal Ferrule Screw Type-

Galvanized Steel

Item Code	Conduit Size
ZXYQ-014	¼"
ZXYQ-038	⅜"
ZXYQ-050	½"
ZXYQ-075	¾"
ZXYQ-100	1"
ZXYQ-125	1¼"
ZXYQ-150	1½"
ZXYQ-200	2"
ZXYQ-250	2½"
ZXYQ-300	3"
ZXYQ-400	4"
ZXYQ-500	5"
ZXYQ-600	6"

DPJ Connector,Flex Conduit to Box-

Die Cast Zinc

Item Code	Conduit Size
ZPJ-014	1/4"
ZPJ-038	3/8"
ZPJ-050	1/2"
ZPJ-075	3/4"
ZPJ-100	1"
ZPJ-125	1 1/4"
ZPJ-150	1 1/2"
ZPJ-200	2"
ZPJ-250	2 1/2"
ZPJ-300	3"
ZPJ-400	4"
ZPJ-500	5"
ZPJ-600	6"

G thread,other thread NPT,Metric,PG also available

DPN Connector,Flex Conduit to Threaded Conduit-

Die Cast Zinc



Item Code	Conduit Size
ZPN-014	1/4"
ZPN-038	3/8"
ZPN-050	1/2"
ZPN-075	3/4"
ZPN-100	1"
ZPN-125	1 1/4"
ZPN-150	1 1/2"
ZPN-200	2"
ZPN-250	2 1/2"
ZPN-300	3"
ZPN-400	4"
ZPN-500	5"
ZPN-600	6"

G thread,other thread NPT,Metric,PG also available

¾

DKJ Connector,Flex Conduit to Steel Pipe-

Item Code	Conduit Size
ZKJ-038	3/8"
ZKJ-050	1/2"
ZKJ-075	3/4"
ZKJ-100	1"
ZKJ-125	1 1/4"
ZKJ-150	1 1/2"
ZKJ-200	2"
ZKJ-250	2 1/2"
ZKJ-300	3"
ZKJ-400	4"
ZKJ-500	5"
ZKJ-600	6"

DGJ Connector,Flex Conduit to Flex Conduit-

Item Code	Conduit Size
MGJ-038	3/8"
MGJ-050	1/2"
MGJ-075	3/4"
MGJ-100	1"
MGJ-125	1 1/4"
MGJ-150	1 1/2"
MGJ-200	2"
MGJ-250	2 1/2"
MGJ-300	3"
MGJ-400	4"
MGJ-500	5"
MGJ-600	6"

DNJ Connector,Flex Conduit to Box 45°

Item Code	Conduit Size
MNJ-038	3/8"
MNJ-050	1/2"
MNJ-075	3/4"
MNJ-100	1"
MNJ-125	1 1/4"
MNJ-150	1 1/2"
MNJ-200	2"
MNJ-250	2 1/2"
MNJ-300	3"
MNJ-400	4"

DWJ Connector,Flex Conduit to Box 90°

Item Code	Conduit Size
ZWJ-038	3/8"
ZWJ-050	1/2"
ZWJ-075	3/4"
ZWJ-100	1"
ZWJ-125	1 1/4"
ZWJ-150	1 1/2"
ZWJ-200	2"
ZWJ-250	2 1/2"
ZWJ-300	3"
ZWJ-400	4"

Flexible Conduit

Trade Size	Inner Dia.xOuter (mm)	Curved Radius (mm)	Flame Retardant FPA6	PA6	PE	PP
AD10.0(1/4")	6.5x10.0	13	FPA-AD10.0	PA-AD10.0	PE-AD10.0	PP-AD10.0
AD11.6	8.0x11.6	16	FPA-AD11.6	PA-AD11.6	PE-AD11.6	PP-AD11.6
AD13.0(5/16")	10.0x13.0	20	FPA-AD13.0	PA-AD13.0	PE-AD13.0	PP-AD13.0
AD15.8(3/8")	12.0x15.8	35	FPA-AD15.8	PA-AD15.8	PE-AD15.8	PP-AD15.8
AD18.5	14.3x18.5	40	FPA-AD18.5	PA-AD18.5	PE-AD18.5	PP-AD18.5
AD21.2(1/2")	17.0x21.2	45	FPA-AD21.2	PA-AD21.2	PE-AD21.2	PP-AD21.2
AD25.0	21.0x25.0	50	FPA-AD25.0	PA-AD25.0	PE-AD25.0	PP-AD25.0
AD28.5(3/4")	23.0x28.5	55	FPA-AD28.5	PA-AD28.5	PE-AD28.5	PP-AD28.5
AD34.5(1")	29.0x34.5	65	FPA-AD34.5	PA-AD34.5	PE-AD34.5	PP-AD34.5
AD42.5(1-1/4")	36.0x42.5	90	FPA-AD42.5	PA-AD42.5	PE-AD42.5	PP-AD42.5
AD54.5	48.0x54.5	100	FPA-AD54.5	PA-AD54.5	PE-AD54.5	PP-AD54.5

Straight Quick Connector
Materials:Nylon
Thread: Metric / PG / G Thread
Protection Classification: IP66
Size: Fit to AD10.0 to AD54.5 Flex Pipes

Bend Angle Quick Connector
Materials:Nylon
Thread: Metric / PG / G Thread
Protection Classification: IP66
Size: Fit to AD10.0 to AD54.5 Flex Pipes

Mounting Clip
Materials:Nylon
Protection Classification: IP66
Size: Fit to AD10.0 to AD54.5 Flex Pipes

Mounting Clip with Lid
Materials:Nylon
Protection Classification: IP66
Size: Fit to AD10.0 to AD54.5 Flex Pipes

Butt Joint Connector
Materials:TPR Rubber
Protection Classification: IP66
Size: Fit to AD10.0 to AD54.5 Flex Pipes

3-Way T-Shaped Pipe Joint
Materials:TPR Rubber
Protection Classification: IP66
Size: Fit to AD10.0 to AD54.5 Flex Pipes

Strut Channels

41x41 Plain/Slotted Unistrut Channel

- PL: Plain
- PG: Pre-galvanized
- EG: Electro-galvanized
- HDG: Hot dip galvanized
- SS: Stainless Steel

Item Code	Dim. in	Dim. mm	Thickness gauge	Thickness mm
ZPSUC1	1 5/8" X 1 5/8"	41 X 41	12	2.5
ZPSUC2	1 5/8" X 1 5/8"	41 X 41	13	2.3
ZPSUC3	1 5/8" X 1 5/8"	41 X 41	14	2.0
ZPSUC4	1 5/8" X 1 5/8"	41 X 41	15	1.8
ZPSUC5	1 5/8" X 1 5/8"	41 X 41	16	1.5
ZPSUC6	1 5/8" X 1 5/8"	41 X 41	17	1.3
ZPSUC7	5/8" X 1 5/8"	41 X 41	18	1.2

Item Code	Dim. in	Dim. mm	Thickness gauge	Thickness mm
ZPSUC8	1 5/8" X 13/16"	41 X 21	12	2.5
ZPSUC9	1 5/8" X 13/16"	41 X 21	13	2.3
ZPSUC10	1 5/8" X 13/16"	41 X 21	14	2.0
ZPSUC11	1 5/8" X 13/16"	41 X 21	15	1.8
ZPSUC12	1 5/8" X 13/16"	41 X 21	16	1.5
ZPSUC13	1 5/8" X 13/16"	41 X 21	17	1.3
			18	1.2

Standard lengths 10ft. / 3.0meter
Other length,thickness available.





Slot Size for choice :

14.3x28.6mm
12x40mm
12x28mm
14x30mm
11x35mm

* other size also available

Cantilever Arm

- EG / HDG



Item Code	"A" (mm)	Channel Size (mm)
MZA-412120-150S	150	41x21x2.0
MZA-412120-200S	200	41x21x2.0
MZA-412120-300S	300	41x21x2.0
MZA-412120-450S	450	41x21x2.0

Item Code	"A" (mm)	Channel Size (mm)
MZA-414120-150S	150	41x41x2.0
MZA-414120-300S	300	41x41x2.0
MZA-414120-450S	450	41x41x2.0
MZA-414120-600S	600	41x41x2.0

Item Code	"A" (mm)	Channel Size (mm)
ZZA-414125-150S	150	41x41x2.5
ZZA-414125-300S	300	41x41x2.5
ZZA-414125-450S	450	41x41x2.5
ZZA-414125-600S	600	41x41x2.5
ZZA-414125-700S	700	41x41x2.5

Other length also available.

Channel End Cap

- Plastic



Item Code	Channel Size
ZEC-1	41x21
ZEC-2	41x41

All Thread Rods

UNC Thread

- PL: Plain
- EG: Electro-Galvanized
- HDG: Hot Dip Galvanized
- SS: Stainless Steel

Standard lengths 10ft./3.0meter
Other length also available.

Item Code	Thread Size
ZTR-14	1/4"-20
ZTR-516	5/16"-18
ZTR-38	3/8"-16
ZTR-12	1/2"-13
ZTR-58	5/8"-11
ZTR-34	3/4"-10
ZTR-78	7/8"-9
ZTR-1	1"-8

Drop in Anchor

UNC Thread

- Zinc / Yellow Plated



Item Code	Thread Size	Drill Diameter	Length (In)	Weight kgs/KPCS
ZDIA-14	1/4"-20	3/8"	1"	9.6
ZDIA-516	5/16"-18	3/8"	1-1/4"	9.8
ZDIA-38	3/8"-16	1/2"	1-9/16"	25
ZDIA-12	1/2"-13	5/8"	2"	50
ZDIA-58	5/8"-11	7/8"	2-1/2"	135
ZDIA-34	3/4"-10	1"	3-3/18"	196

Rod Coupler

UNC Thread

- Zinc Plated



Item Code	Thread Size	Across Flat	Length (In)	Weight kgs/KPCS
ZRC-14	1/4"-20	3/8"	7/8"	9
ZRC-516	5/16"-18	1/2"	1-1/8"	21
ZRC-38	3/8"-16	9/16"	1-1/8"	19
ZRC-12	1/2"-13	11/16"	1-3/4"	52
ZRC-58	5/8"-11	13/16"	2-1/8"	82
ZRC-34	3/4"-10	1"	2-1/4"	136

Channel Nuts

UNC Thread

- EG: Electro-Galvanized
- HDG: Hot Dip Galvanized
- SS: Stainless Steel



Long Spring

Item Code	Thread Size	Nut Specification		Thickness mm
		Length mm	Width mm	
ZMZLS 22	1/4"-20	34.5	19	6.0
ZMZLS 23	5/16"-18	34.5	19	6.0/8.0
ZMZLS 24	3/8"-16	34.5	19	8.0/9.2
ZMZLS 25	7/16"-14	34.5	19	8.0/9.2
ZMZLS 26	1/2"-13	34.5	19	9.2/11.8
ZMZLS 27	5/8"-11	34.5	30	11.0
ZMZLS 28	3/4"-10	34.5	30	11.0
ZMZLS 29	7/8"-9	34.5	30	11.0

U Bolts

- EG: Electro-Galvanized

Item Code	Size	Bolts		Pipe Size mm
		A type	B type	
ZMEEG70	1/2"	1/4"	3/8"	21.34
ZMEEG71	3/4"	1/4"	3/8"	26.67
ZMEEG72	1"	1/4"	3/8"	33.40
ZMEEG73	1 1/4"	1/4"	3/8"	42.16
ZMEEG74	1 1/2"	1/4"	3/8"	48.26
ZMEEG75	2"	1/4"	3/8"	60.33
ZMEEG76	2 1/2"	3/8"	1/2"	73.03
ZMEEG77	3"	3/8"	1/2"	88.90
ZMEEG78	3 1/2"	3/8"	1/2"	101.6
ZMEEG79	4"	3/8"	1/2"	114.3
ZMEEG80	5"	3/8"	1/2"	141.3
ZMEEG81	6"	3/8"	1/2"	168.3
ZMEEG82	8"	3/8"	1/2"	219.1
ZMEEG83	10"	3/8"	1/2"	273.1
ZMEEG84	12"	3/8"	1/2"	323.9

Fasteners

Steel Beam Clamp

- Standard finish— Galvanized

Item Code	Rods Size	Open Size
ZTMBC-38	3/8"-16	1-1/4"
ZTMBC-12	1/2"-13	1-1/4"

Top Mount Steel Beam Clamp

- Standard finish— Galvanized or Plain

Item Code	Rods Size	Open Size
BC-14	1/4"-20	3/4"
BC-38	3/8"-16	1-1/4"

Standard Top Hat Punched Din Rail

- Yellow Zinc Plated



Plain		Slotted	
Item Code	Length	Cat No.	Length
MKG-3510	1.0m	KG-3510S	1.0m
MKG-3520	2.0m	KG-3520S	2.0m

* Available in full and perforated versions, in various lengths.

Perforated Banding

- Pre-galvanized
- PVC Box or Cable Tie packing
- Application: Designed for using to secure cable,pipe duct and conduit, evenly-spaced holes allow fastening with screws or nuts and bolts





Rounded Gal. Perforated Banding

Item Code	AXB (mm)	D (mm)	C (mm)	Lth's/Roll
ZRPB-120810	12x0.8	5.0	14	10M
ZRPB-170810	17x0.8	7.0	20	10M
ZRPB-261010	26x1.0	8.0	25	10M

Straight Gal. Perforated Banding

Item Code	AXB (mm)	D (mm)	C (mm)	Lth's/Roll
MSPB-120810	12x0.8	5.0	8	10M
MSPB-170810	17x0.8	7.0	12	10M
MSPB-200810	20x0.8	8.0	12	10M
MSPB-261010	26x1.0	8.0	12	10M

Strut Channel Accessories

Standard Clevis Hanger

- Electro-Galvanized

Item Code	Conduit Size	Rod Size
ZHDCH-050	½"	¼"
ZHDCH-075	¾"	¼"
ZHDCH-100	1"	¼"
ZHDCH-125	1¼"	¼"
ZHDCH-150	1½"	¼"
ZHDCH-200	2"	¼"
ZHDCH-250	2½"	⅜"
ZHDCH-300	3"	⅜"
ZHDCH-350	3½"	⅜"
ZHDCH-400	4"	⅜"
ZHDCH-500	5"	½"
ZHDCH-600	6"	½"
ZHDCH-800	8"	⅝"
ZHDCH-1000	10"	¾"
ZHDCH-1200	12"	¾"

Universal Strut Clamps,Pre-assembled
For EMT, IMC, GC, Pipe, or O.D. Tube.

- EG: Electro-Galvanized

Item Code	Conduit Size	O.D. mm
MC-050U	½"	17.93-21.34
MC-075U	¾"	23.42-26.67
MC-100U	1"	29.54-33.40
MC-125U	1¼"	38.35-42.16
MC-150U	1½"	44.20-48.26
MC-200U	2"	55.80-60.33

Swivel Band Hanger

- Pre-Galvanized
- Electro-Galvanized
- Copper Plated

Item Code	Conduit Size	Rod Size	O.D. mm
Z-050	½"	⅜"	21.34
Z-075	¾"	⅜"	26.67
Z-100	1"	⅜"	33.40
Z-125	1¼"	⅜"	42.16
Z-150	1½"	⅜"	48.26
Z-200	2"	⅜"	60.33
Z-250	2½"	⅜"	73.03
Z-300	3"	⅜"	88.90
Z-350	3½"	⅜"	101.6
Z-400	4"	⅜"	114.3
Z-500	5"	½"	141.3
Z-600	6"	½"	168.3
Z-800	8"	½"	219.1

Cushion Clamp

- Yellow Zinc Plated
- With TPR Sleeve

Item Code	Tube O.D.
ZSC-14	¼"
ZSC-38	⅜"
ZSC-12	½"
ZSC-58	⅝"
ZSC-34	¾"
ZSC-78	⅞"
ZSC-118	1⅛"
ZSC-138	1⅜"
ZSC-158	1⅝"
ZSC-218	2⅛"
ZSC-258	2⅝"
ZSC-318	3⅛"
ZSC-418	4⅛"

Riser Clamps

- Electro-Galvanized
- Copper Plated

Item Code	Conduit Size	Cat.No.	Conduit Size
ZC-050	½"	RC-500	5"
ZC-075	¾"	RC-600	6"
ZC-100	1"	RC-800	8"
ZC-125	1¼"	RC-1000	10"
ZC-150	1½"	RC-1200	12"
ZC-200	2"	RC-1400	14"
ZC-250	2½"	RC-1600	16"
ZC-300	3"	RC-1800	18"
ZC-350	3½"	RC-2000	20"
ZC-400	4"		

One-piece Cable Clamp

- Electro-Galvanized

Item Code	Cable Size mm
MPC-14	8-14
MPC-16	12-16
MPC-20	18-22
MPC-26	23-27
MPC-32	29-33
MPC-40	38-40
MPC-46	40-46
MPC-52	46-52
MPC-58	52-58
MPC-66	58-66
MPC-70	64-70
MPC-78	70-78
MPC-90	78-95

Strut Channel Accessories

G Clamp

- Standard finish— Zinc Plated

Item Code	Bolts	Thickness
MCBC-1	M8x20	2.5mm
MCBC-2	M8x20	3.0mm
MCBC-3	M8x25	3.0mm

Spring Steel Beam Clamp

- Black Enamel

Item Code	Screw	Flange
ZSBC-14	¼"-1¼"	⅛" - ½"

Rigid Straps,Malleable Iron

- Zinc Plated or HDG

Item Code	Conduit Size
ZMRS-038	⅜"
ZMRS-050	½"
ZMRS-075	¾"
ZMRS-100	1"
ZMRS-125	1¼"
ZMRS-150	1½"
ZMRS-200	2"
ZMRS-250	2½"
ZMRS-300	3"
ZMRS-350	3½"
ZMRS-400	4"

Rigid Clamp Backs,Malleable Iron

- Zinc Plated or HDG

Item Code	Conduit Size
ZMRC-050	½"
ZMRC-075	¾"
ZMRC-100	1"
ZMRC-125	1¼"
ZMRC-150	1½"
ZMRC-200	2"
ZMRC-250	2½"
ZMRC-300	3"
ZMRC-350	3½"
ZMRC-400	4"



Pipe Clamp with EPDM or without

Item Code	Trade Size	D (mm)	bxS (mm)	M (mm)	G	
ZPCW1	⅜"	15-19	20x1.5	M6x20	M8+M10	3/8-16
ZPCW2	½"	20-25	20x1.5	M6x20	M8+M10	3/8-16
ZPCW3	¾"	26-30	20x1.5	M6x20	M8+M10	3/8-16
ZPCW4	1"	32-36	20x1.5	M6x20	M8+M10	3/8-16
ZPCW5	1¼"	38-43	20x1.5	M6x20	M8+M10	3/8-16
ZPCW6	1½"	47-51	20x1.5	M6x20	M8+M10	3/8-16
ZPCW7	2"	60-64	20x1.5	M6x20	M8+M10	3/8-16
ZPCW8	2½"	75-80	20x1.5	M6x20	M8+M10	3/8-16
ZPCW9	3"	87-92	20x1.5	M6x20	M8+M10	3/8-16
ZPCW10	3½"	99-105	20x1.5	M6x20	M8+M10	3/8-16
ZPCW11	4"	113-118	20x1.5	M6x20	M8+M10	3/8-16
ZPCW12	5"	138-142	20x1.5	M6x20	M8+M10	3/8-16
ZPCW13	6"	159-166	20x1.5	M6x20	M8+M10	3/8-16
ZPCW14	8"	200-212	20x1.5	M6x20	M8+M10	3/8-16

Strut Channel Accessories

Top Beam Clamps- Malleable Iron

- Standard finish— Plain or Galvanized

Item Code	Rod Size	Open Size (mm)
ZM375-38	⅜"	¾"
ZM375-12	½"	¾"

Beam Clamps- Malleable Iron

- Standard finish— Galvanized

Item Code	Rod Size	Open Size (mm)
ZMTBC-M06	M6	18.5
ZMTBC-M08	M8	18.5
ZMTBC	M10	20.0
ZMTBC-M12	M12	30.0
ZMTBC-M14	M14	35.0
ZMTBC-M16	M16	35.0

Top Beam Clamps- Malleable Iron

- Standard finish— Plain or Galvanized

Item Code	Rod Size	Open Size
ZMBC-3414	¼"	¾"
ZMBC-3438	⅜"	¾"
ZMBC-3412	½"	¾"
ZMBC-11438	⅜"	1-¼"
ZMBC-11412	½"	1-¼"

Universal Beam Clamps- Malleable Iron

- Standard finish— Plain or Galvanized

Item Code	Rod Size	Open Size
ZM103-38	⅜"	¾"
ZM103-12	½"	¾"
ZM833-38	⅜"	1-⅛"
ZM833-12	½"	1-⅛"

Swing Hanger-Steel

- Standard finish— Yellow Zinc Plated

Item Code	Size
ZHBC-38	⅜"
ZHBC-50	½"
ZHBC-M10	M10
ZHBC-M12	M12

Wide Mouth Beam Clamps- Malleable Iron

- Standard finish— Plain or Galvanized

Item Code	Rods Size	Open Size
ZM300-38	⅜"	1-¼"
ZM300-12	½"	1-¼"

Beam Clamps for Mounting Channel

- Standard finish— Galvanized

Item Code	A Size
ZCBC-1	3-3/8"
ZCBC-2	5"

Steel Beam Clamp

- Standard finish— Yellow Zinc Plated

Item Code	Hole Size	Open Size	Bolt
ZCY-38	3/8"-16	1-¼"	3/8"x1-½"
ZCY-12	1/2"-13	1-¼"	1/2"x1-½"

Electrical Conduit Tools

Conduit Bender with Handle-Aluminum

Item Code	Conduit Size
	EMT
ZACB-050H	1/2"
ZACB-075H	3/4"
ZACB-100H	1"

Conduit Bender without Handle-Aluminum

Item Code	Conduit Size
	EMT
ZACB-050	1/2"
ZACB-075	3/4"
ZACB-100	1"

Conduit Bender-Ductile Iron

Item Code	Conduit Size
	EMT
ZSCB-050	1/2"
ZSCB-075	3/4"
ZSCB-100	1"
ZSCB-125	1 1/4"



Natural Color / Zinc Plated

Metal Cable Puller with Riveted Terminals A type

(Eyelet+Eyelet)

Item Code	Specification Width(mm) x Thickness(mm)	Length(m)
ZMCP-3205A/MCP-5005A	3.2 x 0.5/5.0x0.5	5
ZMCP-3210A/MCP-5010A	3.2 x 0.5/5.0x0.5	10
ZMCP-3215A/MCP-5015A	3.2 x 0.5/5.0x0.5	15
ZMCP-3220A/MCP-5020A	3.2 x 0.5/5.0x0.5	20
ZMCP-3225A/MCP-5025A	3.2 x 0.5/5.0x0.5	25
ZMCP-3230A/MCP-5030A	3.2 x 0.5/5.0x0.5	30

Natural Color / Zinc Plated

Metal Cable Puller with Riveted Terminals B type

(Eyelet + Flex Metallic starting Spinner with Ball)

Item Code	Specification Width(mm) x Thickness(mm)	Length(m)
ZMCP-3205B/MCP-5005B	3.2 x 0.5/5.0x0.5	5
ZMCP-3210B/MCP-5010B	3.2 x 0.5/5.0x0.5	10
ZMCP-3215B/MCP-5015B	3.2 x 0.5/5.0x0.5	15
ZMCP-3220B/MCP-5020B	3.2 x 0.5/5.0x0.5	20
ZMCP-3225B/MCP-5025B	3.2 x 0.5/5.0x0.5	25
ZMCP-3230B/MCP-5030B	3.2 x 0.5/5.0x0.5	30

Natural Color / Zinc Plated

Metal Cable Puller with Riveted Terminals C type

(Eyelet + Roller)

Item Code	Specification Width(mm) x Thickness(mm)	Length(m)
ZMCP-3205C/MCP-5005C	3.2 x 0.5/5.0x0.5	5
ZMCP-3210C/MCP-5010C	3.2 x 0.5/5.0x0.5	10
ZMCP-3215C/MCP-5015C	3.2 x 0.5/5.0x0.5	15
ZMCP-3220C/MCP-5020C	3.2 x 0.5/5.0x0.5	20
ZMCP-3225C/MCP-5025C	3.2 x 0.5/5.0x0.5	25
ZMCP-3230C/MCP-5030C	3.2 x 0.5/5.0x0.5	30

Natural Color / Zinc Plated

Steel Spiral Cable Puller

Small Roll with Brass Fixed Terminals (Spinner + Eyelet)

Item Code	Solid Diameter(mm)	Length(m)
ZMSSCP-3005	Φ3.2	5
ZMSSCP-3010	Φ3.2	10
ZMSSCP-3015	Φ3.2	15
ZMSSCP-3020	Φ3.2	20
ZMSSCP-3025	Φ3.2	25
ZMSSCP-3030	Φ3.2	30

Nylon Cable Puller,Small Roll with Brass Fixed Terminals

(Flex starting Spinner with Ball and Eyelet on the back side of Fish Tape)

Item Code	Solid Diameter(mm)	Length(m)
ZMNCP-3005/NCP-4005	Φ3 / Φ4	5
ZMNCP-3010/NCP-4010	Φ3 / Φ4	10
ZMNCP-3015/NCP-4015	Φ3 / Φ4	15
ZMNCP-3020/NCP-4020	Φ3 / Φ4	20
ZMNCP-3025/NCP-4025	Φ3 / Φ4	25
ZMNCP-3030/NCP-4030	Φ3 / Φ4	30

Nylon Cable Puller,Small Roll with Brass Interchangeable Terminals

(Flex starting Spinner with Eyelet and Eyelet on the back side of Fish Tape)

Item Code	Solid Diameter(mm)	Length(m)
ZMNCP-4005D	Φ4	5
ZMNCP-4010D	Φ4	10
ZMNCP-4015D	Φ4	15
ZMNCP-4020D	Φ4	20
ZMNCP-4025D	Φ4	25
ZMNCP-4030D	Φ4	30

Nylon Cable Puller with Brass Fixed Terminals

(Eyelet+Eyelet)

Item Code	Solid Diameter(mm)	Length(m)
ZMNCP-4505	Φ4.5	5
ZMNCP-4510	Φ4.5	10
ZMNCP-4515	Φ4.5	15
ZMNCP-4520	Φ4.5	20
ZMNCP-4525	Φ4.5	25
ZMNCP-4530	Φ4.5	30

Fiberglass Filling Cable Puller with Brass Fixed Terminals

(Flex starting Spinner with Ball and Eyelet on the back side of Fish Tape)

Item Code	Solid Diameter(mm)	Length(m)
FCP-3005	Φ3.0	5
FCP-3010	Φ3.0	10
FCP-3015	Φ3.0	15
FCP-3020	Φ3.0	20
FCP-3025	Φ3.0	25
FCP-3030	Φ3.0	30

Fiberglass Filling Cable Puller with Steel Fixed Terminals

(Eyelet+Eyelet)

Item Code	Solid Diameter(mm)	Length(m)
ZMFCP-4005	Φ4.0	5
ZMFCP-4010	Φ4.0	10
ZMFCP-4015	Φ4.0	15
ZMFCP-4020	Φ4.0	20
ZMFCP-4025	Φ4.0	25
ZMFCP-4030	Φ4.0	30

More Rod Filling Cable Puller,Small Roll with Nickel Plated Brass Terminals

(Interchangeable Flex starting Spinner with Ball and Fixed Eyelet on the back side of Fish Tape)

Item Code	Solid Diameter(mm)	Length(m)
ZMRCP-4005	Φ4.0	5
ZMRCP-4010	Φ4.0	10
ZMRCP-4015	Φ4.0	15
ZMRCP-4020	Φ4.0	20
ZMRCP-4025	Φ4.0	25
ZMRCP-4030	Φ4.0	30

Single Rod Filling Cable Puller with Nickel Plated Brass Terminals

(Interchangeable Flex starting Spinner with Ball and Fixed Eyelet on the back side of Fish Tape)

Item Code	Solid Diameter(mm)	Length(m)
ZSRCP-4005	Φ4.0	5
ZSRCP-4010	Φ4.0	10
ZSRCP-4015	Φ4.0	15
ZSRCP-4020	Φ4.0	20
ZSRCP-4025	Φ4.0	25
ZSRCP-4030	Φ4.0	30

Twine Polyester Cable Puller with Galvanized Steel Terminals

(Flex starting Spinner with Eyelet and Eyelet on the back side of Fish Tape)

Item Code	Solid Diameter(mm)	Length(m)
ZPCP-6010	Φ6.0	10
ZPCP-6015	Φ6.0	15
ZPCP-6020	Φ6.0	20
ZPCP-6025	Φ6.0	25
ZPCP-6030	Φ6.0	30
ZPCP-6050	Φ6.0	50

* Special Head for choose

* All kinds of Cable Puller available inside;
* Orange Shell for choose
* OEM also acceptable

* All kinds of Cable Puller available inside;
* Special head for choose
* OEM also acceptable



J1 J2 J3 J4

High Strength Steel Fish Wire Tap (Small Roll)

Item Code	Specification Width(mm) x Thickness(mm)	Length(m)
ZZNFWT-10S	3.0 x 1.3	10
ZZNFWT-15S	3.0 x 1.3	15
ZZNFWT-20S	3.0 x 1.3	20
ZZNFWT-25S	3.0 x 1.3	25
ZZNFWT-30S	3.0 x 1.3	30

High Strength Steel Fish Wire Tap (Big Roll)

Item Code	Specification Width(mm) x Thickness(mm)	Length(m)
ZFWT-30	3.0 x 1.3	30
ZFWT-40	3.0 x 1.3	40
ZFWT-45	3.0 x 1.3	45
ZFWT-50	3.0 x 1.3	50
ZFWT-60	3.0 x 1.3	60
ZFWT-75	3.0 x 1.3	75
ZFWT-100	3.0 x 1.3	100

High Strength Steel Fish Wire Tap (Big Roll)

Item Code	Specification Width(mm) x Thickness(mm)	Length(m)
ZNFWT-30	3.0 x 1.3	30
ZNFWT-40	3.0 x 1.3	40
ZNFWT-45	3.0 x 1.3	45
ZNFWT-50	3.0 x 1.3	50
ZNFWT-60	3.0 x 1.3	60
ZNFWT-75	3.0 x 1.3	75
ZNFWT-100	3.0 x 1.3	100

Fiberglasss Cable Puller

Item Code	Cable Puler Size Width(mm)	Length(m)
ZD05L100	5.0	100
ZD11L050	11.0	50
ZD06L150	6.0	150
ZD14L050	14.0	50

Type	Wire Rack(cm)	O.D.
J1	40(L)x15(W)x50(H)	40CM
J2	55(L)x17(W)x64(H)	55CM
J3	65(L)x17(W)x73(H)	65CM
J4	90(L)x33(W)x100(H)	90CM

Internal Bending Spring for Heavy Duty PVC Pipe

Finish: Natural,White Zinc Plated,Color Zinc Plated,Black Coating

Item Code	Size	Length(mm)
ZMIBSH-16550	16	550
ZMIBSH-20550	20	550
ZMIBSH-25550	25	550
ZMIBSH-32550	32	550

Other size or length also available

Internal Bending Spring for Medium PVC Pipe

Finish: Natural,White Zinc Plated,Color Zinc Plated,Black Coating

Item Code	Size	Length(mm)
ZMIBSM-16550	16	550
ZMIBSM-20550	20	550
ZMIBSM-25550	25	550
ZMIBSM-32550	32	550

Other size or length also available

Internal Bending Spring for Light Duty PVC Pipe

Finish: Natural,White Zinc Plated,Color Zinc Plated,Black Coating

Item Code	Size	Length(mm)
ZIBSL-16550	16	550
ZIBSL-20550	20	550
ZIBSL-25550	25	550
ZIBSL-32550	32	550

Other size or length also available

External Bending Spring for PVC Pipe

Finish: Natural,White Zinc Plated,Yellow Zinc Plated,Black Coating

Item Code	Size	Length(mm)
MEBS-16550	16	550
MEBS-20550	20	550
MEBS-25550	25	550
MEBS-32550	32	550

Other size or length also available

CERTIFICATE OF REGISTRATION

SYNDICATE OF INTERNATIONAL SYSTEM CERTIFICATIONS

This Certificate has been awarded to

ZM FLEX

ZM GRUP PAZARLAMA İTHALAT İHRACAT SANAYİ VE TİCARET LİMİTED ŞİRKETİ

YEŞİLTEPE MAH. UĞURLU CAD. TOPLU KONUT SİT. K1-5 APT. NO:89 G 7
ÇİLİMLİ / DÜZCE / TÜRKİYE

In recognition of the organization's Managements System which complies with

ISO 9001:2015

The scope of activities covered by this certificate is defined below

GI CONDUIT & ACCESSORIES, EMT CONDUIT & ACCESSORIES, STEEL FLEXIBLE CONDUIT, PVC COATED STEEL FLEXIBLE CONDUIT, LOW SMOKE ZERO HALOGEN COATED FLEXIBLE CONDUIT (LSOH), LIQUID TIGHT FLEXIBLE CONDUIT, LOW SMOKE ZERO HALOGEN LIQUID TIGHT FLEXIBLE CONDUIT (LSOH), LIQUID TIGHT NICKEL PLATED BRASS ADAPTOR, ZINC DIE CAST LIQUID TIGHT ADAPTOR, BRASS NICKEL PLATED ADAPTOR, ZINC NICKEL PLATED ADAPTOR, STEEL SWITCH AND SOCKET BOXES, CABLE GLANDS, CABLE TRAYS, CABLE LADDER AND CABLE TRUNKING

GI BORU VE AKSESUARLARI, EMT BORU VE AKSESUARLARI, ÇELİK ESNEK BORU, PVC KAPLI ÇELİK ESNEK BORU, DÜŞÜK DUMAN SIFIR HALOJEN KAPLI ÇELİK ESNEK BORU, SIVI GEÇİRMEZ ESNEK BORU, DÜŞÜK DUMAN SIFIR HALOJEN SIVI GEÇİRMEZ ESNEK BORU, SIVI GEÇİRMEZ NİKEL KAPLAMA PİRİNÇ ADAPTÖR, ÇİNKO DÖKÜM SIVI GEÇİRMEZ ADAPTÖR, PİRİNÇ NİKEL KAPLAMA ADAPTÖR, ÇİNKO NİKEL KAPLAMA, ÇELİK ANAHTAR VE PRİZ KUTULARI, KABLO RAKORLARI, KABLO TEPSİLERİ, KABLO MERDİVENLERİ VE KANALLARI

Certificate Number: SISTURQ0820202805
Date of Issue of Orginal Certificate: 05.08.2020
Date of Issue of Latest Certificate: 05.08.2020
Expiry Date: 04.08.2021

Managing Director

SIS CERT

Note: This certificate is valid only if produced with the continuation letter after the surveillance is carried out successfully.

The Organization's documentation and Implementation has been rewiewed and found to comply with the relevant standard rules. This certificate of Registration is based on the evaluation of the mentioned scope given above. Organization is responsible for maintaining the responsibilities of the revelant standard rules. Any significant changes in the scope of the certification or standard referred above render this certificate invalid. This is an accredited certificate isseud by SIS Certifications Pvt. Ltd. sanctioned for issue by International Accreditation Services, 3060 Saturn Street Suite 100 Brea, California 92821-1732, USA.

Email us : support@siscertifications.com, info@siscertifications.co.in Call: - +91-9654721646
Web : - http://www.siscertifications.co.in, www.siscertifications.com
The status of this certificate can be verified on '' http://www.siscertifications.co.in''.

Issue No.:01

SIS CERT.

IAS
ACCREDITED
Management Systems Certification Body
MSCB - 131

IAF
MEMBER OF MULTILATERAL RECOGNITION ARRANGEMENT

ZM GRUP

REFERENCES

Address:
İOSB Mah. Eski Turgut Özal Caddesi Altıntaç İş Merkezi No:6 B Blok 4/409 Başakşehir / İSTANBUL

Phone:

+90 212 254 04 95

+90 380 536 50 69